

A Database Publication

ATARI USER

Vol. 1 No. 3

July 1985

£1

Discover the secrets
of your favourite
games with our
Atari Disassembler

Games
to play

**BOMB
RUN!**

TREASURE HUNT!

A first look at
Atari DOS 2.5

Great new series starts:

How to produce spectacular graphics displays

Atari Insights

Getting to grips
with hexadecimal

Introducing
string variables

Redefining
characters

WELCOME TO ATARI MAGAZINE

(IF YOU'RE NOT YET AN



Pack 1:
8000L, 1050 Disk Drive,
Home-File Manager, The Payoff,
Demonstration Software \$299.99 (Normal cost \$364.99)

The only way to make full use of ATARI USER is to become one. And the easiest way to do that is with ATARI Personal Computer Packs.

There isn't a better way to get into computers. There isn't a more comprehensive starter pack.

Only ATARI could give you a 64 Kram memory, cassette 'soundthrough' capabilities, a maximum of 256 colours on the screen at one time and 4 'sound' voices.

ATARI 800XL PERSONAL

COME RI USER AZINE.

ATARI USER, STOP HERE.)

A choice of a 1050 Disk Drive or a 1010 Cassette Programmer Recorder and additional software.

No one else could offer you all this power at these prices.

And, as everything comes together, you can make the most of the unbeatable ATARI 800XL straight away.

Without doubt, ATARI Personal Computer Packs are the easiest way to get into computers.

The only difficulty is deciding which one. Now read on.

NAL COMPUTER PACKS



Pack 1: 8000L,
1010 Cassette Programmer Recorder,
Invitation to Programming, File Position,
Demonstration Software. £129.99 (Normal cost £184.99)



Vol. 1 No. 3 July 1985

Managing Editor: Derek Meakin
Features Editors: Cliff McKnight
 Mike Bibby
Editorial Team: Alan McLachlan
 Kevin Edwards
 Pete Bibby
Production Editor: Peter Glover
Layout Design: Heather Sheldrick
News editor: Mike Cowley
Advertisement Manager: John Riding
Advertising Sales: John Snowden
Editor in Chief: Peter Bransford

Editorial: 061-456 8835
Administration: 061-456 8363
Advertising: 061-456 8500
Subscriptions: 061-480 0173
Telex: 667664-SHARET G
Postal Mailbox: 614568383

Published by:
 Database Publications Ltd,
 Europa House, 66 Chester Road,
 Hazel Grove, Stockport SK7 5NY.

Subscription rates for 12 issues, post free:
 £12 - UK
 £15 - Eire (Sterling only)
 £20 - Rest of world (surface)
 £40 - Rest of world (airmail)

ABC Member of Audit Bureau of Circulations

"Atari User" welcomes program listings and articles for publication. Material should be typed or computer-printed, and preferably double-spaced. Program listings should be accompanied by cassette tape or disc. Please enclose a stamped, self-addressed envelope: otherwise the return of material cannot be guaranteed. Contributions accepted for publication by Database Publications Ltd will be on an all-rights basis.

© 1985 Database Publications Ltd. No material may be reproduced in whole or in part without written permission. While every care is taken, the publishers cannot be held legally responsible for any errors in articles, listings or advertisements.

"Atari User" is an independent publication and Alan Corp (UK) Ltd are not responsible for any of the articles in this issue or for any of the opinions expressed.

News trade distribution:
 Banprems Sales and Distribution Limited, 11 Elington Road, Crawley, West Sussex RH10 6AF, Tel. 0293 27063.

News

All the latest in Atari news. The demise of the 130ST, the ST software promise, and lots more.

7

Beginners

Mike Bibby continues his series with a look at strings and string variables - knotty stuff.



10

Adventuring

Brillig takes a trip to the Emerald Isle and solves a Murder on the Zinderneuf. There's an answer to the Filthy Fifteen and a new brain-bender to keep you busy.

14

Software

This month our intrepid reviewers keep their brains busy with MULE and Pensate and their joysticks busy with Hard Hat Mack, Bounty Bob Strikes Back and Kissin' Cousins.



17

Graphics

Dave Russell gets rid of unwanted hearts in Modes 1 and 2.

20

Display Lists

The start of a new series in which Mike Rowe explains how to produce spectacular graphics.



24

Disassembler

If you want to see what's happening deep inside your Atari, Kevin Edwards' disassembler will show you.

28

Utility

Speed up the Atari's power function with Frank O'Dwyer's routines.

44




A golden oldie from the fertile pen of Roland Waddilove. Go into action with trigger-happy race against time.

32

Bit Wise

Mike Bibby takes the mystery out of nybbles and bytes.

46



TREASURE HUNT!

Find the treasure but avoid the bombs in Mike Rowe's game. You'll need a bit of logic and a bit of luck as well.



48

17 Commandments

If you're thinking of writing for Atari User, you'll need to read this.

36

Sounds

Convert your Qwerty keyboard into a simple organ keyboard with this easy-to-enter routine.

38



DOS

Atari's new DOS 2.5 gets the thumbs up from André Willey.

39

Mailbag

Enter your name here by writing to us with all your questions, answers and general comments.

57

Microscope

Take a close look at this password generator - then use it to beat the hackers.

42

Order Form

Binders for your back issues, disc doublers, dust covers for your micro and a free T-shirt for all new subscribers.

60

SOFTWARE SPECIALIST

Atari kills off the 130 ST



"We will definitely be bringing out a machine priced between £400 and £500" - Atari sales and marketing chief Rob Harding.

BACK TO JACK

THE move by Commodore executives to switch to Atari is not restricted to the United States.

Alvin Stumpf has recently swapped the post of heading up Commodore in Germany for a similar position with Atari there.

He follows a number of Commodore executives in the United States who have changed horses.

"This is not a question of predatory hiring or any problems Commodore may have been currently having", Max Bambridge, Atari's European sales and marketing head told *Atari User*.

"I believe it is all very logical in that once people have worked for a winner like Jack Tramiel, they would want to go out of their way to work for him again".

THE 130ST is dead. Atari has confirmed that its eagerly-awaited medium price personal computer will not be manufactured after all.

But there IS to be an ST-based machine in the same £400 to £500 range, and it WILL be available in the autumn.

"It's true we have scrapped the 130ST", sales and marketing boss Rob Harding told *Atari User*, but we regard this as a positive move, not a backward one.

"Quite frankly, the 130ST as originally planned - a naked CPU with 128K RAM - would not have been sufficiently superior to other machines in its price range.

"Jack Tramiel's philosophy is 'power without the price' which has been achieved with the 520ST - but the 130ST would have fallen short of this high standard so it had to go.

"But we will definitely be bringing out a machine - priced between £400 and £500.

"It will be ST-based, but a much more sophisticated product than the 130ST, with more memory and possibly even a disc drive.

"I'm confident we'll have

Replacement will be more sophisticated

supplies ready in the autumn to take on the QL and the new SBC 8+

News of the new machine brought a delighted response from recently-appointed Atari official distributor, Silica Shop.

"We went to the Hannover Show to see the 130ST and were very disappointed at its absence", said a spokesman.

"The decision to scrap this model was a further blow. But we are delighted to hear it will be replaced by something even better.

Rethink

"I think this will be the right machine for the market, a powerful computer for the price you could normally only buy a Commodore and disc drive".

The new machine could bring about a rethink by distributors who have backed away from recent deals offered by Atari because of margins and stocking commitments.

Major distributors Terry

Blood and Lightning were unhappy about the non-appearance of the 130ST, which they saw as a key element in marketing the range.

Joe Woods, marketing manager of TBO, has said: "The 520ST is too expensive for us to take in the quantities Atari wanted".

A more sophisticated version of the 130ST in the same price bracket could make the Atari range look attractive once again. But both TBO and Lightning would still ask less rigid distribution deals.

Lightning spokesman Tom Ferguson told *Atari User*: "We're willing to open new negotiations for existing stock or new products, but only if the terms are different regarding stocking commitments".

ATBO spokesman added: "If Atari asks for the same level of commitment for this new machine as for the 520ST our position is likely to be the same - no deal".

Silica Shop takes over

STEPPING in where others fear to tread is... Silica Shop.

It has agreed to become the official distributor for Atari following the disappearance from the scene of Terry Blood and Lightning.

The latter blamed their departure on Atari's requirements for high stock commitment - orders having to start at £250,000 - when they claimed the market did not support it.

Silica Shop's Tony Deane, however, said his firm did not

have any qualms in accepting this commitment.

Since it began dealing with Atari in 1979, Silica had never had problems in placing large orders consistently, he said.

Expertise

"Unlike other distributors, Silica Shop only deals with one manufacturer, so all the funds we have, all the expertise, can be generated into that one area", he explained.

Distributors who deal with a

number of makes and can only put a percentage of their funds into each one would find it difficult to make a similar commitment, Deane continued.

Commenting on the Atari deal, he said: "We are very happy with their terms. They give very good support and keep their promises. They said they would launch the ST and do so a month ahead of schedule. That I like".

The company also liked Jack Tramiel's pricing policy and his

news of a planned ST model in the £400-£500 range, to replace the dropped 130ST, and which would be more sophisticated.

Deane said: "The Atari range is unbeatable, its quality superb, and the price is now right. Jack's got everything going for him".

● Asked at the Comdex Show in Atlanta how he was going to finance the proposed production of the ST computers, Jack Tramiel, as bluntly as usual, replied: "From my own pocket".

The Tramiels ...waiting for breakthrough

THE fate of Atari hangs on whether or not the new ST machines achieve a market breakthrough, according to the well informed USA based Fortune magazine.

"If ST's start selling Tramiel's low prices mean trouble for Apple and IBM - and anybody else with home computer plans", writes associate editor Peter Petre.

But he goes on to warn: "If they don't, Atari could be fighting to the death against Commodore".

Author Petre takes a long hard look at Atari since Tramiel took over. From this he concludes that the battling businessman wants to turn the corporation into a family stronghold to be passed on to his three sons.

Sam Tramiel, now the Atari president, had previously worked for his father when he was the boss of Commodore. He then went on to prove himself in his own right out in the Far East.

The Fortune article suggests that Tramiel's younger sons are currently assigned to "journeyman positions" in Atari because of their lack of experience.

Leonard, 30, who holds a

PhD in astrophysics, is helping to create software for the ST machines while Gary, 25, who previously worked as a stockbroker now "handles odd jobs" in Atari's financial set up.

The magazine claims that when Tramiel bought Atari it was distressed merchandise, and so made to order for him.

Atari had lost \$539 million in 1983 after the video bubble burst. This is said to have placed pressure on Warner Communications - under whose wing the company came at that time - to offload with Atari "hemorrhaging cash".

Fortune reports that the deal with Tramiel took shape during a "frenetic week".

Petre writes: "The sale of assets agreement was a 300 page monument to expediency, full of qualifications, loopholes and doors left open to be closed later."

"Tramiel paid no cash. He got the assets in exchange for long term debt and warrants that give Warner claim to 32 per cent of Atari's stock".

According to Fortune, the new look Atari is already claiming to be operating at a profit.

"That's not implausible", writes Petre, "although the company got most of its \$125 million in revenues during the last half by unloading bloated inventories at cut rates".

Still the writer points out that Atari is currently facing enormous risks.

One of these, he claims, is that the XE from which the corporation hopes to draw a substantial amount of revenue could face problems.

"The cooling of the home computer fad could mean that the XE may already have been passed by", he warns.



The Tramiels - Chairman Jack, 56, with, clockwise from lower left, President Sam 35, Gary, 25 and Leonard, 30.

Software set up is sorted out

LEADING UK software houses have been briefed on Atari's requirements and plans over the next few months by the company's software director, Sig Hartmann.

Hartmann admitted that shortage of software has been a problem for Atari in the past. "But that's not going to be the way in the future", he promised.

"Under Jack Tramiel's leadership we're a much more aggressive company, and we intend to see that we have the software support right across the market for our new product range".

Following the company's showing at the American Consumer Electronics Show, the major US software houses realised that producing for Atari

was going to provide a winner for them.

"We think you'll agree when the products are unveiled in Europe", Hartmann told the British software publishers. "We see the new Atari systems as being centres of home activity."

"Sure, there'll still be room for games, but much more emphasis is being paid to serious uses such as home accounts and word processing".

Hartmann gave an indication of Atari's philosophy when questioned about the future of cassette program recorders.

"They're going to become things of the past", he forecast. "The whole market is shifting into disc drives. Prices have to come down".

£750 for the 520 ST?

ATARI has denied reports in the trade press that it intends to sell the 520ST in three different packages.

A company spokesman told Atari User: "The machine will be sold in only one configuration."

"This will include 12in high resolution mono screen, the 520ST with mouse, 3 1/2 in 500k disc drive and bundled software

consisting of Basic, Logo, GemWrite, GemPaint, TOS operating system and BOS business operating system".

At press time Atari was hinting at a price in the £700 to £800 range for this package.

"In fact if you said it was going to cost £749.99 you would probably be accurate", said the spokesman.

ATARI
400/800/XL/130XE
48K



520 ST turns up – in a trickle

THE first major batches of Atari 520STs have begun arriving in Britain.

But prospective purchasers are advised to be very patient. It could be some time before they are able to walk into a shop and buy one off the shelf.

"I'm afraid the machines will be in short supply for a while yet", said a company spokesman.

"The 520STs are arriving in the hundreds rather than the thousands and we have a large backlog of orders from systems houses, educational establishments and the like that have to be filled as a priority".

On a brighter note, there should be no shortage of software when the machines become freely available.

More than 50 software houses have already bought development systems and are expecting to have finished or nearly finished products by the beginning of September.

By that time more than 100 – perhaps as many as 200 – software houses are expected to be working on programs for the 520ST ranging from games to specialised business packages.

50 packs promised

AN announcement that more than 50 ST software packages would be released by July 8 was made by Atari's vice-president Sigmund Hartmann at the recent Comdex Show in Atlanta.

To be included in that number was a Lotus 123 spreadsheet, he said.

And when those gathered at the press conference complained about Atari's poor press packs, he ended: "There are times to have caviar. There are times to have beans. This is our time for eating beans – but we plan to eat caviar when our time comes".

Canoe champions rely on an Atari

ATARI users watching the Rapid Racing canoeing on ITV's World of Sport recently may have noticed their favourite computer getting a lot of credit during the various score readouts.

In fact Atari regularly plays an important role at the annual championships held on the white water of Bala, North Wales.


The event attracts the world's top canoeists from all disciplines to compete against each other over four different races in four days.

The occasion is covered by a big TV crew which depends on an Atari for accurate results data processing and most of the score displays and lists of competitors that appear as overlays on the television screen.

Sophisticated

This work is done on an "old" Atari 800 with an 810 disc drive, high speed printer, B50 I/O box, three monitors, a sophisticated computer/TV interface adapter, and various other "boxes of tricks".

All of these are arranged in a mobile caravanette and operated in conjunction with the



The Atari's output is used as an overlay by the TV team

timing computers by a two-man team.

The 20k machine code program was written for Atari by Andrew MacLean, author of DropZone among others, and is a cleverly thought out menu-driven system allowing a non-technically minded person to operate it.

It gives the user instant access to and from a wide variety of functions and can cater for up to 64 named and numbered competitors in four independent sets of race results,

allowing both mid point and finish times.

At any time results can be quickly printed or displayed on demand in a wide variety of presentation styles and can be based on points or times for any race or all four races combined.

The operator can also edit and rearrange screens before display so that special messages can be generated as requested by the TV director.

Says MacLean: "The Atari equipment used is five years old now and is probably one of the most travelled systems in use."

"It performed as faultlessly as ever last time out, despite being used in a very damp atmosphere at some very awkward-to-reach riverside locations."

"In fact it only failed once – when the generator ran out of petrol!"

CUT PRICE GAMES OFFER ENDS

A MYSTERIOUS mail order operation offering top selling games at rock bottom prices has apparently stopped, just as leading software publishers were urgently investigating its activities.

Money has been returned to people who ordered software packs from A1 Software Services of Hornlurgh, Essex.

Famous titles like Pole Position, Ghostbusters and Jet Boot Jack were mentioned in the promotion which offered the general public as many as 50

games for £30.

One software publisher who sent a postal order for £19 to A1 Software Services for a pack of 15 games had his money returned along with a slip of paper saying "A1 Software Services has ceased trading".

"I shall be pleased if this mail order operation has stopped", he said. "I was most concerned that our titles had been mentioned in it and our legal department was ready to act should any infringement of copyright have been involved".

KISSIN' KOSINS

ENGLISH SOFTWARE'S
FIRST ATARI "TALKIE"

48K ATARI Cassette **£6.95**

88C ELECTRON
NON-TALKIE **£4.95**

String along... and pick up some

WE saw last month how to write our own programs, however primitive. Now we'll look at some ways of improving them. I don't guarantee that you'll be able to produce spectacular programs by the end of this article, but you will certainly be well on the way to an understanding of Basic.

First, though, let's recap a little. We saw last month that a Basic program consists of a numbered sequence of instructions to the computer.

To enter one of these instructions we simply type the correct line number, followed by the appropriate Basic keyword, then press Return.

As we discovered, because of the line number, the Atari doesn't do what you tell it immediately, but remembers it as part of the program.

To see all the instructions in a program, we type:

LIST [Return]

To actually get the Atari to carry out the sequence of instructions we type:

RUN [Return]

To clear a program from memory (and we should do this before entering a new program), we use:

NEW [Return]

We saw that we tended to enter line numbers in steps of 10 to allow us to fit in other instructions between them if necessary. Also we found that we could replace a line with a better version by simply giving the new version the line number of the old one.

```
10 PRINT "PROGRAMMING"
20 PRINT "IS"
30 PRINT "EASY"
```

Program 1

Expand your knowledge of programming with PART THREE of MIKE BIBBY's guide through the micro jungle

Finally, to delete a line completely, we simply type the line number and press Return.

Program 1 is the one we started with last month. Before we continue, type it in and run it, to make sure you know what's going on.

Program 11 is another way of

```
10 DIM A$(12),B$(12),C$(12)
20 A$="PROGRAMMING"
30 B$="IS"
40 C$="EASY"
50 PRINT A$
60 PRINT B$
70 PRINT C$
```

Program 11

achieving exactly the same output. Type it in and try it.

Apart from it being an incredibly long-winded way of doing things, what else is going on?

Well, as you will recall from the first article in the series, the words inside quotes are known as strings – because the computer simply remembers them as strings of letters. That is, it considers HAMSTER as H, followed by A, followed by M and so on, with no idea of the word's meaning.

I don't think that it takes all that much imagination to see that when your computer is printing a lot of output, you might be using the same

string rather a lot.

For example, in a business letter you might use the name of the company fairly frequently – for instance, BBC for British Broadcasting Corporation. Atari Basic allows us to use much the same idea, but more as labels than abbreviations.

For instance, in line 20 of the above program we have labelled the string "PROGRAMMING" with the label A\$.

In computer terms, we have assigned to A\$ the value "PROGRAMMING".

All this means is that from now on whenever I want to use "PROGRAMMING" in my program, I can replace it with A\$. So line 50, which is:

50 PRINT A\$

causes the micro to print out "PROGRAMMING".

Admittedly in this example this technique of labelling doesn't save



handy jargon

much space or effort, but if the program uses the word "PROGRAMMING" 100 times, there would be a substantial saving in using A\$ instead of the string itself.

Similarly, line 30 causes B\$ to label IS and line 40 labels EASY with C\$, so that lines 60 and 70 give the appropriate printout.

Notice the following points:

- We have chosen our labels so that they consist of a letter of the alphabet followed by the \$ sign. Actually, we don't have to restrict ourselves to just one letter, as we shall see, but our label must end with the \$ sign, since this warns the computer that we are labelling a string. And the letter we use must be a capital. (We'll see later how to label other things.)
- While I used A\$ for the first label, B\$ for the second and C\$ for the third, this was totally arbitrary on my part — labels don't have to follow alphabetic or any other kind of order.

● Although we use an equals sign (=) to connect the label with what it is labelling. It is safer, as we shall see, not to think of it as an equals sign — think in terms of A\$ becomes "PROGRAMMING" rather than A\$ equals "PROGRAMMING".

● We must have the label on the left and what is labelled on the right of the equals sign. A line such as:

20 "PROGRAMMING" = A\$

just does not make sense to the Atari. Try it for yourself!

● When labelling we put the string inside quotes, as we did previously when using the PRINT statement to print out strings. So line 20 reads:

20 A\$ = "PROGRAMMING"

From now on A\$ completely replaces "PROGRAMMING", quotes and all, so that when we say

PRINT A\$

we don't have to use any quotes — they're already there, implicit in the label A\$.

All right, but we still haven't explained line 10:

10 DIM A\$(12),B\$(12),C\$(12)

Well, it's all to do with the micro's good housekeeping. Just as, when you throw a party, it's helpful to have an idea of the maximum number of guests you expect, so it's only manners to tell the Atari how large you think each string is going to be. It can then set aside a suitable amount of memory for the strings.

We do this with DIM — a new Basic keyword that fixes the maximum number of letters or characters to be associated with each label.

For instance, if we had a string label X\$ and we never wanted it to refer to a string of more than ten characters in length we would have a line such as:

10 DIM X\$(10)

Notice:

- The keyword DIM followed by a space.
- The label X\$ followed directly — no space — by the maximum length you want to label, in brackets.

That's what we did in line 10 of Program II. This time we had three labels to dimension — A\$, B\$, C\$ — so we put them all in the same line, separated by commas.

You might also notice that I've been pretty wasteful with my dimming, as it's known — I've given each label a maximum length of 12, although, as you'll see from the rest of the program, none of my strings is that long.

I could have got away with:

10 DIM A\$(11),B\$(2),C\$(4)

Try running Program II with this

It is good programming practice to include REMs

new line, if you don't believe me. Remember, all you have to do to alter a line is to retype it (starting with the line number of course), then press Return. The new version of the line will replace the old one.

What would happen if we didn't DIM enough room for a string being labelled? Try replacing line 10 with:

```
10 DIM A$(8),B$(2),C$(4)
```

If you've done it properly, when you run it you should get the message:

```
PROGRAMM  
IS  
EASY
```

As you can see, the label A\$ accepted as little as possible.

All right, but you wouldn't make this sort of mistake, would you? After all you can just look at a program and see how big the strings you're labelling are going to get.

Yes, but the strings you're labelling can change size as in Program III.

```
10 DIM X$(7)  
20 X$="BIG "  
30 PRINT X$  
40 X$="BIGGER"  
50 PRINT X$  
60 X$="BIGGEST"  
70 PRINT X$
```

Program IV

where what X\$ labels varies from BIG via BIGGER to BIGGEST. Hence another, more common name for these string labels – string variables.

Notice each time you give a string label or variable a value, that value "replaces" the old value. These variables really vary.

Now when we label a string the label refers to whatever is inside the quotes, including spaces, as you will see if you run Program IV.

Notice that our punctuation – semicolons – works for labelled strings just as it worked on its own.

Notice also that we have intro-

duced a new Basic keyword in line 10 – REM. We use REM which is short for REMark, to add comments or headings to our programs.

When the Atari encounters REM in a line it ignores everything else after it on the same line. This means we can write whatever we want after REM (providing it is on the same line) without fear of the micro giving us an error message – the Atari doesn't "read" the line beyond the REM.

If we use REM to prefix our comments, we can annotate our program. Certainly each main subdivision should have one or more REM statements explaining what is going on.

Since the Atari ignores the contents of REM statements, you could leave them out of your program entirely and it will work as effectively. However it is good programming practice to include them.

In Program IV I have used a single REM at the beginning of the program, as it is so short. Bear in mind however, that REM can appear on any line in a program.

Now for some jargon. From now on we shall refer to our labels as variables. Don't be put off by the mathematical sound of that – they are still just labels. And instead of saying we are labelling, we say we are assigning, as we have mentioned previously. The actual string involved

is known as the value of the variable. So:

```
A$ = "TEST"
```

reads "the string variable A\$ has assigned to it the value TEST. The actual act of giving a variable a value is called an assignment.

To return to the world of actual programs, you can mix and match string variables and actual strings however you want.

Program V illustrates the point:

```
10 REM PROGRAM V  
20 DIM A$(10),B$(5)  
30 A$="MY NAME IS"  
40 B$=" MIKE"  
50 PRINT A$;B$  
60 PRINT "MY NAME IS";B$  
70 PRINT A$;" MIKE"
```

Program V

Notice the space at the beginning of the string assigned to B\$ – you need this otherwise the output looks rather odd. Leave it out if you don't believe me.

As we saw last month, a semi-colon at the end of a line causes the next output to start immediately after the last end not on a new line – as it would do in the absence of the semi-colon. That is, it "glues" the strings together.

The internal semi-colons of lines 50, 60 and 70 do much of the same, "gluing" variables to strings, and so on.

Also, on the subject of grammatical propriety, when we're assigning variables we should use the LET statement. So line 40 should read:

```
40 LET B$ = "MIKE"
```

As you've already discovered, we can omit LET altogether.

● Next month, more on variables and INPUT – which opens the door to effective programming.

```
10 REM PROGRAM IV  
20 DIM A$(7),B$(7),C$(7),D$(7)  
30 A$="TEST"  
40 B$=" TEST"  
50 C$=" TEST"  
60 D$=" TEST"  
70 PRINT A$;B$;C$;D$  
80 PRINT "01234567890123456789"  
90
```

Program IV

Silicon Chip

No. 1 FOR ATARI*

Atari 520 ST

GUARANTEE

Our EXCLUSIVE Direct Exchange Guarantee is available FREE OF CHARGE to all our customers. If a product purchased from SILICON CHIP becomes faulty due to a manufacturing or component defect, within ONE YEAR of purchase, we will, subject to availability, exchange for new.



PRICES

Atari 520 ST	£599.99
+ 500k Disk Drive	£699.99
+ Black & White Monitor	£899.99

The prices of the ST from SILICON CHIP Ltd, include Basic, Logo, a word Processor, GEM Draw and GEM paint.

POWER WITHOUT THE PRICE

Chipsoft Integrated Accounts Packages - Including Stock Control, Nominal, Sales and Purchase Ledgers £250
Final prices and specs may be subject to change.

SPECS

512K RAM
Expandable Rom.
MIDI Interface. RS232
Serial/Centronics Parallel
Interfaces. Floppy Disk and Hard
Disks Interfaces. RGB Video and TV
output. Sound Generator with 3 channels
2 Joystick Ports. 3 Graphics and Text Modes -
320x200 = 512 colours, 640x200 = 4 colours, 640x400 B/W.
16 Bit Motorola 68000 Microprocessor running at 8 MHz.

SILICON CHIP LTD, Showroom address:
302 High Street, Slough, Berkshire. Tel: 0753 70639

- * 1st Atari Business Centre.
- * 1st Dealer for 130 XE.
- * 1st Dealer for 1029 Printers.
- * 1st Dealer with our own Software House for Software Support.
- * 1st Dealer for 520 ST?

Please phone or write for full details.



FOR those of you who have been reading this section of *Atari User* every month, it may seem that virtually all adventure games are written by the American race. Adventure International and Infocom have dominated the examination of the origins and the different types of adventures available.

There are, however, plenty of good adventure writers from these fair shores, and the recent release of *Emerald Isle* by Level 9 gives an ideal opportunity to examine one of the best known of them.

Emerald Isle is the seventh adventure released by Level 9 for the Atari and is text only, although other machines which the firm covers now receive the graphics treatment.

In the next few months we shall visit all seven, but for the moment I will concentrate on the first and the last, to give an idea of what immersing yourself in a Level 9 game is like.

The golden rule in adventuring is to make a map, so that no matter how perplexing your surroundings you can

A map's a must in these sprawling brawling Level 9

says Brillig

always find your way around. This is never truer than when playing a Level 9 game, as their speciality is in big sprawling games.

To give you an idea of what this means their first release was an adaptation of *Colossal Cave*, the grand-daddy of all adventures, faithfully programmed from the mainframe original down to home micros by using a sophisticated text compression technique known as the

A-Code.

This coding allowed the Austin brothers, Pete and Mike, to reproduce the game despite the limitations of memory of home micros at that time. Not content with this, they then proceeded to add a further 70 locations of their own as an endgame, making their version the most original of the many copies of *Colossal Cave* on the market.

So, putting the earliest and most

Quasimodo leaves a tune for

HIGH in the church tower, Quasimodo, deafened from years of playing football (think about it), is a bit miffed because the local parishioners keep telling him the bells... the bells... are out of tune.

This of course is completely untrue and to get his own back he has cut all the seven ropes and left them in a complete tangle on the vestry floor.

The people have commissioned the BBC (Belfry Builders' Club) to sort out the mess and they in their infinite wisdom have picked you, one of their best men, to do the job.

All you have to do is identify which rope is which down in the vestry and then pull them in the right order. The only commands you need are U (Up), D (Down), T (Tie), and P (Pull).

Despite what you may assume after hours of puzzling, the problem has a solution. The best of luck — you're going to need it!

```

1 DEN QUASIMODO
2 PRINT CHR$(127)
3 DEN ACLOD,BCLOD,DCLOD,ECLOD,FCLOD,G
4 CLOD
5 MC8
6 MC9
7 MC10
8 MC11
9 FOR C=1 TO 8:GOTO 9-NEXT C
10 FOR D=1 TO 8
11 GOTO 10-D-NEXT D
12 IF ACLOD=BCLOD THEN 1
13 IF BCLOD=DCLOD THEN 1
14 IF DCLOD=ECLOD THEN 1
15 IF ECLOD=FCLOD THEN 1
16 IF FCLOD=G
17 CLOD THEN 1
18 NEXT C
19 GOTO 20
20 PRINT "You can't do that"
21 PRINT "What now?";INPUT G$
22 IF G$="U",D,T,P THEN 25
23 IF G$="U" THEN 25
24 IF G$="D" THEN 25
25 IF G$="T" THEN 25
26 IF G$="P" THEN 25
27 GOTO 20
28 PRINT "You are in the vestry.";PRINT
29 IF C=1 OR MC1 THEN 128
30 IF C=2 THEN 128
31 IF C=3 THEN 128
32 IF C=4 THEN 128
33 IF C=5 THEN 128
34 IF C=6 THEN 128
35 IF C=7 THEN 128
36 IF C=8 THEN 128
37 IF C=9 THEN 128
38 IF C=10 THEN 128
39 IF C=11 THEN 128
40 IF C=12 THEN 128
41 IF C=13 THEN 128
42 IF C=14 THEN 128
43 IF C=15 THEN 128
44 IF C=16 THEN 128
45 IF C=17 THEN 128
46 IF C=18 THEN 128
47 IF C=19 THEN 128
48 IF C=20 THEN 128
49 IF C=21 THEN 128
50 IF C=22 THEN 128
51 IF C=23 THEN 128
52 IF C=24 THEN 128
53 IF C=25 THEN 128
54 IF C=26 THEN 128
55 IF C=27 THEN 128
56 IF C=28 THEN 128
57 IF C=29 THEN 128
58 IF C=30 THEN 128
59 IF C=31 THEN 128
60 IF C=32 THEN 128
61 IF C=33 THEN 128
62 IF C=34 THEN 128
63 IF C=35 THEN 128
64 IF C=36 THEN 128
65 IF C=37 THEN 128
66 IF C=38 THEN 128
67 IF C=39 THEN 128
68 IF C=40 THEN 128
69 IF C=41 THEN 128
70 IF C=42 THEN 128
71 IF C=43 THEN 128
72 IF C=44 THEN 128
73 IF C=45 THEN 128
74 IF C=46 THEN 128
75 IF C=47 THEN 128
76 IF C=48 THEN 128
77 IF C=49 THEN 128
78 IF C=50 THEN 128
79 IF C=51 THEN 128
80 IF C=52 THEN 128
81 IF C=53 THEN 128
82 IF C=54 THEN 128
83 IF C=55 THEN 128
84 IF C=56 THEN 128
85 IF C=57 THEN 128
86 IF C=58 THEN 128
87 IF C=59 THEN 128
88 IF C=60 THEN 128
89 IF C=61 THEN 128
90 IF C=62 THEN 128
91 IF C=63 THEN 128
92 IF C=64 THEN 128
93 IF C=65 THEN 128
94 IF C=66 THEN 128
95 IF C=67 THEN 128
96 IF C=68 THEN 128
97 IF C=69 THEN 128
98 IF C=70 THEN 128
99 IF C=71 THEN 128
100 IF C=72 THEN 128
101 IF C=73 THEN 128
102 IF C=74 THEN 128
103 IF C=75 THEN 128
104 IF C=76 THEN 128
105 IF C=77 THEN 128
106 IF C=78 THEN 128
107 IF C=79 THEN 128
108 IF C=80 THEN 128
109 IF C=81 THEN 128
110 IF C=82 THEN 128
111 IF C=83 THEN 128
112 IF C=84 THEN 128
113 IF C=85 THEN 128
114 IF C=86 THEN 128
115 IF C=87 THEN 128
116 IF C=88 THEN 128
117 IF C=89 THEN 128
118 IF C=90 THEN 128
119 IF C=91 THEN 128
120 IF C=92 THEN 128
121 IF C=93 THEN 128
122 IF C=94 THEN 128
123 IF C=95 THEN 128
124 IF C=96 THEN 128
125 IF C=97 THEN 128
126 IF C=98 THEN 128
127 IF C=99 THEN 128
128 IF C=100 THEN 128
129 IF C=101 THEN 128
130 IF C=102 THEN 128
131 IF C=103 THEN 128
132 IF C=104 THEN 128
133 IF C=105 THEN 128
134 IF C=106 THEN 128
135 IF C=107 THEN 128
136 IF C=108 THEN 128
137 IF C=109 THEN 128
138 IF C=110 THEN 128
139 IF C=111 THEN 128
140 IF C=112 THEN 128
141 IF C=113 THEN 128
142 IF C=114 THEN 128
143 IF C=115 THEN 128
144 IF C=116 THEN 128
145 IF C=117 THEN 128
146 IF C=118 THEN 128
147 IF C=119 THEN 128
148 IF C=120 THEN 128
149 IF C=121 THEN 128
150 IF C=122 THEN 128
151 IF C=123 THEN 128
152 IF C=124 THEN 128
153 IF C=125 THEN 128
154 IF C=126 THEN 128
155 IF C=127 THEN 128
156 IF C=128 THEN 128
157 IF C=129 THEN 128
158 IF C=130 THEN 128
159 IF C=131 THEN 128
160 IF C=132 THEN 128
161 IF C=133 THEN 128
162 IF C=134 THEN 128
163 IF C=135 THEN 128
164 IF C=136 THEN 128
165 IF C=137 THEN 128
166 IF C=138 THEN 128
167 IF C=139 THEN 128
168 IF C=140 THEN 128
169 IF C=141 THEN 128
170 IF C=142 THEN 128
171 IF C=143 THEN 128
172 IF C=144 THEN 128
173 IF C=145 THEN 128
174 IF C=146 THEN 128
175 IF C=147 THEN 128
176 IF C=148 THEN 128
177 IF C=149 THEN 128
178 IF C=150 THEN 128
179 IF C=151 THEN 128
180 IF C=152 THEN 128
181 IF C=153 THEN 128
182 IF C=154 THEN 128
183 IF C=155 THEN 128
184 IF C=156 THEN 128
185 IF C=157 THEN 128
186 IF C=158 THEN 128
187 IF C=159 THEN 128
188 IF C=160 THEN 128
189 IF C=161 THEN 128
190 IF C=162 THEN 128
191 IF C=163 THEN 128
192 IF C=164 THEN 128
193 IF C=165 THEN 128
194 IF C=166 THEN 128
195 IF C=167 THEN 128
196 IF C=168 THEN 128
197 IF C=169 THEN 128
198 IF C=170 THEN 128
199 IF C=171 THEN 128
200 IF C=172 THEN 128
201 IF C=173 THEN 128
202 IF C=174 THEN 128
203 IF C=175 THEN 128
204 IF C=176 THEN 128
205 IF C=177 THEN 128
206 IF C=178 THEN 128
207 IF C=179 THEN 128
208 IF C=180 THEN 128
209 IF C=181 THEN 128
210 IF C=182 THEN 128
211 IF C=183 THEN 128
212 IF C=184 THEN 128
213 IF C=185 THEN 128
214 IF C=186 THEN 128
215 IF C=187 THEN 128
216 IF C=188 THEN 128
217 IF C=189 THEN 128
218 IF C=190 THEN 128
219 IF C=191 THEN 128
220 IF C=192 THEN 128
221 IF C=193 THEN 128
222 IF C=194 THEN 128
223 IF C=195 THEN 128
224 IF C=196 THEN 128
225 IF C=197 THEN 128
226 IF C=198 THEN 128
227 IF C=199 THEN 128
228 IF C=200 THEN 128
229 IF C=201 THEN 128
230 IF C=202 THEN 128
231 IF C=203 THEN 128
232 IF C=204 THEN 128
233 IF C=205 THEN 128
234 IF C=206 THEN 128
235 IF C=207 THEN 128
236 IF C=208 THEN 128
237 IF C=209 THEN 128
238 IF C=210 THEN 128
239 IF C=211 THEN 128
240 IF C=212 THEN 128
241 IF C=213 THEN 128
242 IF C=214 THEN 128
243 IF C=215 THEN 128
244 IF C=216 THEN 128
245 IF C=217 THEN 128
246 IF C=218 THEN 128
247 IF C=219 THEN 128
248 IF C=220 THEN 128
249 IF C=221 THEN 128
250 IF C=222 THEN 128
251 IF C=223 THEN 128
252 IF C=224 THEN 128
253 IF C=225 THEN 128
254 IF C=226 THEN 128
255 IF C=227 THEN 128
256 IF C=228 THEN 128
257 IF C=229 THEN 128
258 IF C=230 THEN 128
259 IF C=231 THEN 128
260 IF C=232 THEN 128
261 IF C=233 THEN 128
262 IF C=234 THEN 128
263 IF C=235 THEN 128
264 IF C=236 THEN 128
265 IF C=237 THEN 128
266 IF C=238 THEN 128
267 IF C=239 THEN 128
268 IF C=240 THEN 128
269 IF C=241 THEN 128
270 IF C=242 THEN 128
271 IF C=243 THEN 128
272 IF C=244 THEN 128
273 IF C=245 THEN 128
274 IF C=246 THEN 128
275 IF C=247 THEN 128
276 IF C=248 THEN 128
277 IF C=249 THEN 128
278 IF C=250 THEN 128
279 IF C=251 THEN 128
280 IF C=252 THEN 128
281 IF C=253 THEN 128
282 IF C=254 THEN 128
283 IF C=255 THEN 128
284 IF C=256 THEN 128
285 IF C=257 THEN 128
286 IF C=258 THEN 128
287 IF C=259 THEN 128
288 IF C=260 THEN 128
289 IF C=261 THEN 128
290 IF C=262 THEN 128
291 IF C=263 THEN 128
292 IF C=264 THEN 128
293 IF C=265 THEN 128
294 IF C=266 THEN 128
295 IF C=267 THEN 128
296 IF C=268 THEN 128
297 IF C=269 THEN 128
298 IF C=270 THEN 128
299 IF C=271 THEN 128
300 IF C=272 THEN 128
301 IF C=273 THEN 128
302 IF C=274 THEN 128
303 IF C=275 THEN 128
304 IF C=276 THEN 128
305 IF C=277 THEN 128
306 IF C=278 THEN 128
307 IF C=279 THEN 128
308 IF C=280 THEN 128
309 IF C=281 THEN 128
310 IF C=282 THEN 128
311 IF C=283 THEN 128
312 IF C=284 THEN 128
313 IF C=285 THEN 128
314 IF C=286 THEN 128
315 IF C=287 THEN 128
316 IF C=288 THEN 128
317 IF C=289 THEN 128
318 IF C=290 THEN 128
319 IF C=291 THEN 128
320 IF C=292 THEN 128
321 IF C=293 THEN 128
322 IF C=294 THEN 128
323 IF C=295 THEN 128
324 IF C=296 THEN 128
325 IF C=297 THEN 128
326 IF C=298 THEN 128
327 IF C=299 THEN 128
328 IF C=300 THEN 128
329 IF C=301 THEN 128
330 IF C=302 THEN 128
331 IF C=303 THEN 128
332 IF C=304 THEN 128
333 IF C=305 THEN 128
334 IF C=306 THEN 128
335 IF C=307 THEN 128
336 IF C=308 THEN 128
337 IF C=309 THEN 128
338 IF C=310 THEN 128
339 IF C=311 THEN 128
340 IF C=312 THEN 128
341 IF C=313 THEN 128
342 IF C=314 THEN 128
343 IF C=315 THEN 128
344 IF C=316 THEN 128
345 IF C=317 THEN 128
346 IF C=318 THEN 128
347 IF C=319 THEN 128
348 IF C=320 THEN 128
349 IF C=321 THEN 128
350 IF C=322 THEN 128
351 IF C=323 THEN 128
352 IF C=324 THEN 128
353 IF C=325 THEN 128
354 IF C=326 THEN 128
355 IF C=327 THEN 128
356 IF C=328 THEN 128
357 IF C=329 THEN 128
358 IF C=330 THEN 128
359 IF C=331 THEN 128
360 IF C=332 THEN 128
361 IF C=333 THEN 128
362 IF C=334 THEN 128
363 IF C=335 THEN 128
364 IF C=336 THEN 128
365 IF C=337 THEN 128
366 IF C=338 THEN 128
367 IF C=339 THEN 128
368 IF C=340 THEN 128
369 IF C=341 THEN 128
370 IF C=342 THEN 128
371 IF C=343 THEN 128
372 IF C=344 THEN 128
373 IF C=345 THEN 128
374 IF C=346 THEN 128
375 IF C=347 THEN 128
376 IF C=348 THEN 128
377 IF C=349 THEN 128
378 IF C=350 THEN 128
379 IF C=351 THEN 128
380 IF C=352 THEN 128
381 IF C=353 THEN 128
382 IF C=354 THEN 128
383 IF C=355 THEN 128
384 IF C=356 THEN 128
385 IF C=357 THEN 128
386 IF C=358 THEN 128
387 IF C=359 THEN 128
388 IF C=360 THEN 128
389 IF C=361 THEN 128
390 IF C=362 THEN 128
391 IF C=363 THEN 128
392 IF C=364 THEN 128
393 IF C=365 THEN 128
394 IF C=366 THEN 128
395 IF C=367 THEN 128
396 IF C=368 THEN 128
397 IF C=369 THEN 128
398 IF C=370 THEN 128
399 IF C=371 THEN 128
400 IF C=372 THEN 128
401 IF C=373 THEN 128
402 IF C=374 THEN 128
403 IF C=375 THEN 128
404 IF C=376 THEN 128
405 IF C=377 THEN 128
406 IF C=378 THEN 128
407 IF C=379 THEN 128
408 IF C=380 THEN 128
409 IF C=381 THEN 128
410 IF C=382 THEN 128
411 IF C=383 THEN 128
412 IF C=384 THEN 128
413 IF C=385 THEN 128
414 IF C=386 THEN 128
415 IF C=387 THEN 128
416 IF C=388 THEN 128
417 IF C=389 THEN 128
418 IF C=390 THEN 128
419 IF C=391 THEN 128
420 IF C=392 THEN 128
421 IF C=393 THEN 128
422 IF C=394 THEN 128
423 IF C=395 THEN 128
424 IF C=396 THEN 128
425 IF C=397 THEN 128
426 IF C=398 THEN 128
427 IF C=399 THEN 128
428 IF C=400 THEN 128
429 IF C=401 THEN 128
430 IF C=402 THEN 128
431 IF C=403 THEN 128
432 IF C=404 THEN 128
433 IF C=405 THEN 128
434 IF C=406 THEN 128
435 IF C=407 THEN 128
436 IF C=408 THEN 128
437 IF C=409 THEN 128
438 IF C=410 THEN 128
439 IF C=411 THEN 128
440 IF C=412 THEN 128
441 IF C=413 THEN 128
442 IF C=414 THEN 128
443 IF C=415 THEN 128
444 IF C=416 THEN 128
445 IF C=417 THEN 128
446 IF C=418 THEN 128
447 IF C=419 THEN 128
448 IF C=420 THEN 128
449 IF C=421 THEN 128
450 IF C=422 THEN 128
451 IF C=423 THEN 128
452 IF C=424 THEN 128
453 IF C=425 THEN 128
454 IF C=426 THEN 128
455 IF C=427 THEN 128
456 IF C=428 THEN 128
457 IF C=429 THEN 128
458 IF C=430 THEN 128
459 IF C=431 THEN 128
460 IF C=432 THEN 128
461 IF C=433 THEN 128
462 IF C=434 THEN 128
463 IF C=435 THEN 128
464 IF C=436 THEN 128
465 IF C=437 THEN 128
466 IF C=438 THEN 128
467 IF C=439 THEN 128
468 IF C=440 THEN 128
469 IF C=441 THEN 128
470 IF C=442 THEN 128
471 IF C=443 THEN 128
472 IF C=444 THEN 128
473 IF C=445 THEN 128
474 IF C=446 THEN 128
475 IF C=447 THEN 128
476 IF C=448 THEN 128
477 IF C=449 THEN 128
478 IF C=450 THEN 128
479 IF C=451 THEN 128
480 IF C=452 THEN 128
481 IF C=453 THEN 128
482 IF C=454 THEN 128
483 IF C=455 THEN 128
484 IF C=456 THEN 128
485 IF C=457 THEN 128
486 IF C=458 THEN 128
487 IF C=459 THEN 128
488 IF C=460 THEN 128
489 IF C=461 THEN 128
490 IF C=462 THEN 128
491 IF C=463 THEN 128
492 IF C=464 THEN 128
493 IF C=465 THEN 128
494 IF C=466 THEN 128
495 IF C=467 THEN 128
496 IF C=468 THEN 128
497 IF C=469 THEN 128
498 IF C=470 THEN 128
499 IF C=471 THEN 128
500 IF C=472 THEN 128
501 IF C=473 THEN 128
502 IF C=474 THEN 128
503 IF C=475 THEN 128
504 IF C=476 THEN 128
505 IF C=477 THEN 128
506 IF C=478 THEN 128
507 IF C=479 THEN 128
508 IF C=480 THEN 128
509 IF C=481 THEN 128
510 IF C=482 THEN 128
511 IF C=483 THEN 128
512 IF C=484 THEN 128
513 IF C=485 THEN 128
514 IF C=486 THEN 128
515 IF C=487 THEN 128
516 IF C=488 THEN 128
517 IF C=489 THEN 128
518 IF C=490 THEN 128
519 IF C=491 THEN 128
520 IF C=492 THEN 128
521 IF C=493 THEN 128
522 IF C=494 THEN 128
523 IF C=495 THEN 128
524 IF C=496 THEN 128
525 IF C=497 THEN 128
526 IF C=498 THEN 128
527 IF C=499 THEN 128
528 IF C=500 THEN 128
529 IF C=501 THEN 128
530 IF C=502 THEN 128
531 IF C=503 THEN 128
532 IF C=504 THEN 128
533 IF C=505 THEN 128
534 IF C=506 THEN 128
535 IF C=507 THEN 128
536 IF C=508 THEN 128
537 IF C=509 THEN 128
538 IF C=510 THEN 128
539 IF C=511 THEN 128
540 IF C=512 THEN 128
541 IF C=513 THEN 128
542 IF C=514 THEN 128
543 IF C=515 THEN 128
544 IF C=516 THEN 128
545 IF C=517 THEN 128
546 IF C=518 THEN 128
547 IF C=519 THEN 128
548 IF C=520 THEN 128
549 IF C=521 THEN 128
550 IF C=522 THEN 128
551 IF C=523 THEN 128
552 IF C=524 THEN 128
553 IF C=525 THEN 128
554 IF C=526 THEN 128
555 IF C=527 THEN 128
556 IF C=528 THEN 128
557 IF C=529 THEN 128
558 IF C=530 THEN 128
559 IF C=531 THEN 128
560 IF C=532 THEN 128
561 IF C=533 THEN 128
562 IF C=534 THEN 128
563 IF C=535 THEN 128
564 IF C=536 THEN 128
565 IF C=537 THEN 128
566 IF C=538 THEN 128
567 IF C=539 THEN 128
568 IF C=540 THEN 128
569 IF C=541 THEN 128
570 IF C=542 THEN 128
571 IF C=543 THEN 128
572 IF C=544 THEN 128
573 IF C=545 THEN 128
574 IF C=546 THEN 128
575 IF C=547 THEN 128
576 IF C=548 THEN 128
577 IF C=549 THEN 128
578 IF C=550 THEN 128
579 IF C=551 THEN 128
580 IF C=552 THEN 128
581 IF C=553 THEN 128
582 IF C=554 THEN 128
583 IF C=555 THEN 128
584 IF C=556 THEN 128
585 IF C=557 THEN 128
586 IF C=558 THEN 128
587 IF C=559 THEN 128
588 IF C=560 THEN 128
589 IF C=561 THEN 128
590 IF C=562 THEN 128
591 IF C=563 THEN 128
592 IF C=564 THEN 128
593 IF C=565 THEN 128
594 IF C=566 THEN 128
595 IF C=567 THEN 128
596 IF C=568 THEN 128
597 IF C=569 THEN 128
598 IF C=570 THEN 128
599 IF C=571 THEN 128
600 IF C=572 THEN 128
601 IF C=573 THEN 128
602 IF C=574 THEN 128
603 IF C=575 THEN 128
604 IF C=576 THEN 128
605 IF C=577 THEN 128
606 IF C=578 THEN 128
607 IF C=579 THEN 128
608 IF C=580 THEN 128
609 IF C=581 THEN 128
610 IF C=582 THEN 128
611 IF C=583 THEN 128
612 IF C=584 THEN 128
613 IF C=585 THEN 128
614 IF C=586 THEN 128
615 IF C=587 THEN 128
616 IF C=588 THEN 128
617 IF C=589 THEN 128
618 IF C=590 THEN 128
619 IF C=591 THEN 128
620 IF C=592 THEN 128
621 IF C=593 THEN 128
622 IF C=594 THEN 128
623 IF C=595 THEN 128
624 IF C=596 THEN 128
625 IF C=597 THEN 128
626 IF C=598 THEN 128
627 IF C=599 THEN 128
628 IF C=600 THEN 128
629 IF C=601 THEN 128
630 IF C=602 THEN 128
631 IF C=603 THEN 128
632 IF C=604 THEN 128
633 IF C=605 THEN 128
634 IF C=606 THEN 128
635 IF C=607 THEN 128
636 IF C=608 THEN 128
637 IF C=609 THEN 128
638 IF C=610 THEN 128
639 IF C=611 THEN 128
640 IF C=612 THEN 128
641 IF C=613 THEN 128
642 IF C=614 THEN 128
643 IF C=615 THEN 128
644 IF C=616 THEN 128
645 IF C=617 THEN 128
646 IF C=618 THEN 128
647 IF C=619 THEN 128
648 IF C=620 THEN 128
649 IF C=621 THEN 128
650 IF C=622 THEN 128
651 IF C=623 THEN 128
652 IF C=624 THEN 128
653 IF C=625 THEN 128
654 IF C=626 THEN 128
655 IF C=627 THEN 128
656 IF C=628 THEN 128
657 IF C=629 THEN 128
658 IF C=630 THEN 128
659 IF C=631 THEN 128
660 IF C=632 THEN 128
661 IF C=633 THEN 128
662 IF C=634 THEN 128
663 IF C=635 THEN 128
664 IF C=636 THEN 128
665 IF C=637 THEN 128
666 IF C=638 THEN 128
667 IF C=639 THEN 128
668 IF C=640 THEN 128
669 IF C=641 THEN 128
670 IF C=642 THEN 128
671 IF C=643 THEN 128
672 IF C=644 THEN 128
673 IF C=645 THEN 128
674 IF C=646 THEN 128
675 IF C=647 THEN 128
676 IF C=648 THEN 128
677 IF C=649 THEN 128
678 IF C=650 THEN 128
679 IF C=651 THEN 128
680 IF C=652 THEN 128
681 IF C=653 THEN 128
682 IF C=654 THEN 128
683 IF C=655 THEN 128
684 IF C=656 THEN 128
685 IF C=657 THEN 128
686 IF C=658 THEN 128
687 IF C=659 THEN 128
688 IF C=660 THEN 128
689 IF C=661 THEN 128
690 IF C=662 THEN 128
691 IF C=663 THEN 128
692 IF C=664 THEN 128
693 IF C=665 THEN 128
694 IF C=666 THEN 128
695 IF C=667 THEN 128
696 IF C=668 THEN 128
697 IF C=669 THEN 128
698 IF C=670 THEN 128
699 IF C=671 THEN 128
700 IF C=672 THEN 128
701 IF C=673 THEN 128
702 IF C=674 THEN 128
703 IF C=675 THEN 128
704 IF C=676 THEN 128
705 IF C=677 THEN 128
706 IF C=678 THEN 128
707 IF C=679 THEN 128
708 IF C=680 THEN 128
709 IF C=681 THEN 128
710 IF C=682 THEN 128
711 IF C=683 THEN 128
712 IF C=684 THEN 128
713 IF C=685 THEN 128
714 IF C=686 THEN 128
715 IF C=687 THEN 128
716 IF C=688 THEN 128
717 IF C=689 THEN 128
718 IF C=690 THEN 128
719 IF C=691 THEN 128
720 IF C=692 THEN 128
721 IF C=693 THEN 128
722 IF C=694 THEN 128
723 IF C=695 THEN 128
724 IF C=696 THEN 128
725 IF C=697 THEN 128
726 IF C=698 THEN 128
727 IF C=699 THEN 128
728 IF C=700 THEN 128
729 IF C=701 THEN 128
730 IF C=702 THEN 128
731 IF C=703 THEN 128
732 IF C=704 THEN 128
733 IF C=705 THEN 128
734 IF C=706 THEN 128
735 IF C=707 THEN 128
736 IF C=708 THEN 128
737 IF C=709 THEN 128
738 IF C=710 THEN 128
739 IF C=711 THEN 128
740 IF C=712 THEN 128
741 IF C=713 THEN 128
742 IF C=714 THEN 128
743 IF C=715 THEN 128
744 IF C=716 THEN 128
745 IF C=717 THEN 128
746 IF C=718 THEN 128
747 IF C=719 THEN 128
748 IF C=720 THEN 128
749 IF C=721 THEN 128
750 IF C=722 THEN 128
751 IF C=723 THEN 128
752 IF C=724 THEN 128
753 IF C=725 THEN 128
754 IF C=726 THEN 128
755 IF C=727 THEN 128
756 IF C=728 THEN 128
757 IF C=729 THEN 128
758 IF C=730 THEN 128
759 IF C=731 THEN 128
760 IF C=732 THEN 128
76
```



recent games side by side, how have Level 9 developed? In comparing the two games the first impression is that nothing much has changed in Level 9's presentation. Each location receives a description of the surroundings, plus any useful objects that may be lying around.

The text is often lengthy, in direct contrast to Scott Adams games, where the location details are placed on the screen in a brief and well

defined format. While this gives a Level 9 screen an untidy appearance after a few moves, it does give scope for more atmospheric scene setting.

To demonstrate this it takes only a few moves in Colossal Adventure to have visited wide open countryside, travelled along a riverside, followed a stream and spent ages wandering in a maze of caverns occupied by some of the more unsavoury elements of adventuring.

Dwarves and pirates seem to abound in this underground wilderness, and the cautious adventurer is wise to arm himself as quickly as possible to prevent his life being lost.

This is mainly due to the fact that on death you are likely to find that your gains to date, ill-gotten or not, have been spread around the adventure just to make things a little less easy for you.

As you can see, to play a Level 9 game takes a good deal of stamina and persistence, their latest offering being no exception. It also demonstrates a movement in adventures which I for one applaud.

Instead of being a glorified treasure hunt, a theme which has been well explored now, Emerald Isle offers a specific goal.

In it you are a crashlanded pilot, who, en route to deliver valuable documents, made the mistake of taking a short cut across the Bermuda Triangle. Hence you start the game suspended by your parachute in a mangrove forest as a collection of forest predators sense an early lunch.

Although escaping is not a great problem, you soon find yourself blundering around until you find a streetop city. It transpires that the only person allowed to leave the island is its monarch.

This will obviously pose an out-of-work plot with a few problems, but fortuitously there is a contest to become the ruler, although — as the authors take great pleasure in pointing out — the rules of this competition are not included in the announcement.

Travelling around the city proves to be no real problem once you are dressed for the part, but all is obviously not well.

The clock tower no longer works, despite it being of Victorian design, although Big Ben never seems to

have those problems, and just about every gate in the city is locked.

However, a trip to the beach is easy as the rail system here knocks BR into a cocked hat.

On the beach you find the solution to a rather knotty problem that has been troubling the government of late, with the missing Conqueror's log, as well as a starving spider, although you may not need to come to a sticky end. As usual, Level 9 retain their unique brand of humour throughout.

At the moment I am in urgent need of a lamp, preferably working, which is doubtless hidden somewhere far off and obscure. To date I have not indulged myself in Level 9's voluminous hint sheet, despite much hair-tearing and cursing, although this probably explains why my score out of a thousand has yet to reach triple figures!

At £6.95 this has to be the best Level 9 yet, and I have no hesitation in recommending you to buy this one.

Not such a glowing reference for Murder on the Zinderneuf, I'm afraid. Any game purporting to be an adventure but yet requiring a joystick immediately arouses my suspicions. The basic idea, in the guise of a series of thinly-disguised fictional detectives, is to investigate a missing person case aboard the Zinderneuf, a transatlantic ship.

This is accomplished by steering your detective, silly name and all, around the ship to search for clues and question suspects in a variety of different tones and persuasive manners until you accuse the murderer: Get enough evidence and they hang. Not enough, or just plain wrong, and you carry on searching.

The manual which accompanies the game is neatly produced, including a map of the rooms on the ship, and potted biographies of the characters involved. Each game takes place in simulated real time, and by reference to the manual you can soon get the hang of which way to go to search a room.

Searching, however, consists of wandering around a room until a message appears to tell you either what you have found, or that there is

riddle

```

290 GOTO 100
300 GOTO 100
310 GOTO 100
320 IF NOT THEN 100
330 PRINT "Full which room?"
340 IF NOT THEN 100
350 IF NOT THEN 100
360 IF NOT THEN 100
370 IF NOT THEN 100
380 IF NOT THEN 100
390 IF NOT THEN 100
400 IF NOT THEN 100
410 IF NOT THEN 100
420 IF NOT THEN 100
430 IF NOT THEN 100
440 IF NOT THEN 100
450 IF NOT THEN 100
460 IF NOT THEN 100
470 IF NOT THEN 100
480 IF NOT THEN 100
490 IF NOT THEN 100
500 IF NOT THEN 100
510 IF NOT THEN 100
520 IF NOT THEN 100
530 IF NOT THEN 100
540 IF NOT THEN 100
550 IF NOT THEN 100
560 IF NOT THEN 100
570 IF NOT THEN 100
580 IF NOT THEN 100
590 IF NOT THEN 100
600 IF NOT THEN 100
610 IF NOT THEN 100
620 IF NOT THEN 100
630 IF NOT THEN 100
640 IF NOT THEN 100
650 IF NOT THEN 100
660 IF NOT THEN 100
670 IF NOT THEN 100
680 IF NOT THEN 100
690 IF NOT THEN 100
700 IF NOT THEN 100
710 IF NOT THEN 100
720 IF NOT THEN 100
730 IF NOT THEN 100
740 IF NOT THEN 100
750 IF NOT THEN 100
760 IF NOT THEN 100
770 IF NOT THEN 100
780 IF NOT THEN 100
790 IF NOT THEN 100
800 IF NOT THEN 100
810 IF NOT THEN 100
820 IF NOT THEN 100
830 IF NOT THEN 100
840 IF NOT THEN 100
850 IF NOT THEN 100
860 IF NOT THEN 100
870 IF NOT THEN 100
880 IF NOT THEN 100
890 IF NOT THEN 100
900 IF NOT THEN 100
910 IF NOT THEN 100
920 IF NOT THEN 100
930 IF NOT THEN 100
940 IF NOT THEN 100
950 IF NOT THEN 100
960 IF NOT THEN 100
970 IF NOT THEN 100
980 IF NOT THEN 100
990 IF NOT THEN 100
1000 IF NOT THEN 100

```

Housing the Fifteen

nothing of interest. Nothing very adventurous there.

The graphics are clear and the scrolling is also well executed, but overall the game left me with a feeling of playing a souped-up Cluedo. At £11.95 for the disc from Ariolasoft, I thought this was a trifle steep, so it's "frustrated Cluedo addicts only" for this one.

Two last comments on the column to date. As you can see, there are numerous problems in adventures, so if you are stuck, don't hurl the cassette through the nearest window, but drop me a line and I'll do my best to help out without actually telling you the answer.

Also, if you find any bugs or problems with a game, let me know. A lot of them can be rather amusing. Just to start you off, Level 9 has a town in Emerald Isle, yet the response to GD LAWN isn't quite what you would expect. Nobody's perfect!

THE problem posed in the June issue of how to become governor and make the Fifty Fifteen STDP is difficult even though there are thousands of solutions. The simplest general

method is to modify the program to search through possible combinations, rather like solving the eight queens on a chess board puzzle. Here is one solution:

N1	1 2 3	4 5 6	7 8 9	10 11 12	13 14 15
N2	1 4 7	2 5 8	3 12 15	6 10 14	9 11 13
N3	1 10 13	2 11 14	3 6 9	4 8 12	5 7 15
N4	1 5 14	2 9 12	3 4 13	6 7 11	8 10 15
N5	1 6 11	2 6 15	3 7 10	4 9 14	5 12 13
N6	1 9 15	2 4 10	3 5 11	6 8 13	7 12 14
N7	1 6 12	2 7 13	3 8 14	4 11 15	5 9 10

BULLOCK SOFTWARE

ATARI SOFTWARE SPECIALISTS FOR MAIL ORDER



Games Software

Dig Dug C/D	£9.95/£14.95
Blue Max 2001 C/D	£9.95/£14.95
Bruce Lee C/D	£9.95/£14.95
Drefta C/D	£9.95/£14.95
Forbidden Forest C/D	£9.95/£14.95
Snake C/D	£9.95/£14.95
Spillies Ace C/D	£9.95/£14.95
Beach Head D	£14.95
Dallas Quest D	£14.95
Dropzone C/D	£9.95/£14.95
Conan C/D	£9.95/£14.95
Mr Do C/D	£9.95/£14.95
Ghostbusters D	£14.95
Quasimodo C/D	£9.95/£14.95
Miner 2049er	£12.95
Hover Bonver	£9.95
Space Shuttle ROM	£15.95

Magazines

Antic
Page 6
Atari User

Just in

O-Level Maths
Year's
1, 2, 3, 4
revision.
C/D £8.50/£12.95

Utilities

Basic Compiler (D)
Mac 65 (ROM) & Toolkit
Basic XL (ROM) & Toolkit
Action (ROM) & Toolkit

Atari 130 £169.99
Atari 520 ST
Coming soon
Atari 800 + cass.
£129.99
Atari 800 + disc
£269.00

MUCH MORE ON OUR LISTS SEND SAE FOR PRICE LIST

HOT LINE (021) 793 2809

Add 75p p+p books & magazines
Add 25p p+p software

664 Washwood Heath Road, Ward End,
Birmingham B8 2NB.

EVERY so often, a game comes along that reeks of class. **M.U.L.E.** is one of those games. It will delight you, from its catchy theme music to your last action.

M.U.L.E. is a strategic game, involving cunning and a touch of the stock market. "What?" I hear you say. "Not one marauding alien to blast into oblivion? Boring".

M.U.L.E. is anything but boring. I enjoyed playing the game for hours on end.

The idea of **M.U.L.E.** is that you have been left on a planet and in order to survive you



must develop the natural resources of the world.

This is achieved by your **M.U.L.E.** (Multiple Use Labour Element)—a robot designed to do all your strenuous mining tasks.

Each **M.U.L.E.** has to be outfitted for developing the different resources, which are food, energy and smithere.

M.U.L.E.s are made from smithere, which makes it a precious substance. Once outfitted, you must install it in your plot of land.

In the one-player game, you are competing against three computer-controlled players, but you may play against your friends if desired.

After developing your stock, you go to the auction round,



where you can buy or sell your stock to the other players.

This is where all you closet businessmen and women will

Strategy's the name of the game

emerge as you collide and haggle over prices.

After the auction round has finished, you are then awarded a free plot of land to develop.

You might think it's easy—but just watch out for the pirates who will steal your hard-earned stock.

Also, the storms will drive your **M.U.L.E.s** crazy. And there are other little problems



that make sure you never have a dull moment.

There are plenty of other features in the game, but it

would take a few pages just to note them down, let alone explain them.

To understand the game at its full potential, you really should read your manual.

M.U.L.E. has three levels—beginner, standard and tournament. Each level is challenging and enjoyable.

The game is fun to play and has some nice little graphic touches and sound.

However, one possible improvement could have been the ability to save your game to disc.

This is quality software from Electronic Arts, which is to be expected from this renowned software house.

M.U.L.E. will certainly become part of my collection.

Pete Irwin

TRYING HARD, BUT...

THE latest game from English Software, **Kissin' Cousins**, has an interesting innovation—speech. But don't get too excited—there's precious little of it.

Kissin' Cousins is an arcade game in the mould of *Hunchback*, *Popeye* and others of that ilk. You must guide the tiny hero past a series of hazards in order to save the heroine.

Immediately the game has loaded, you'll hear a clear and cheerful voice declaring "English Software presents **Kissin' Cousins**".

Very impressive. Only trouble is, that's the last time you'll hear that particular snatch unless you reload the game.

The only other speech I encountered was on the title screen. Here a damsel in distress was shouting "Save me!"

This wasn't so impressive. The voice sounded more like a trainee female impersonator with a sore throat.

Still, this is a step in the



right direction and deserves full marks for effort.

So what about the game itself? Well, I'm afraid it's not one of English Software's best.

The backdrop to the game is a static street with buildings, stores and hoardings, most of the action taking place on a narrow strip of the screen.

The obstacles on screen one includes bushes, hydrants and dustbins with pop-up lids. These are placed at ever-decreasing intervals, so the timing of your jumps is critical.

Just to add to the difficulty, a plane flies overhead drop-

ping large red bombs, and each screen must be completed within a tight time-limit.

If you hit an obstacle, get blasted by a bomb, or just run out of time, you lose one of your five lives and must start at the beginning of that screen.

When all lives are lost, the scene scrolls to reveal a large hoarding showing "Game Over".

Once you've safely reached the right-hand side, the picture scrolls smoothly to the left to reveal the next section.

Screen two has wiggling caterpillars as the major obstacle. Later sections include bouncing kangaroos, bats and frogs.

The frustrating thing about the game is that there is no option to start again from the last screen completed. You always recommence right back at the very beginning.

Although it's a fair game, **Kissin' Cousins** lacks variety and excitement. Not one I'd go out of my way to buy, but worth a play.

Bob Chappell

Riveting, no less

HARD Hat Mack, by Electronic Arts, is a levels and ladders game. The action takes place on a building site and there are three completely different screens.

To succeed on the first you must climb to the top by filling in gaps in the platforms using steel girders.

While doing so you must avoid rivets which are being thrown down from above by an invisible assailant.

Once you have plugged all the gaps, you have to rivet each girder in place with a special gun that zips along the levels looking rather like a spinning top.

To assist your progress there are chains at one end of each platform which you can climb up.

In addition, there is a trampoline that you can use to bounce up to the next levels, and there is also a lift at your disposal which takes you up three levels.

On the second screen you have to race around collecting lunch-boxes.

In order to access the different levels you have to hop on to a girder which is hoisted up and down by a winch.

On the first two screens there is a menace called Vandal, whose sole purpose is to make life unpleasant for you. One touch from him and you're dead.

On the third screen two menaces appear - Vandal and Osha, a robot-like creature. On this screen you must collect boxes and put them into a chute. In the centre there are lifts that **Hard Hat Mack** can ride to get to the different levels.

The game is in black and white, and as a result the hi-res graphic detail is superb. Naturally the game as a result lacks colour, but you can't have your cake and eat it.

It could perhaps have been improved by the addition of



Mack has a riveting time

some more different screens, and a keyboard option would cater for those unfortunate Atarians who haven't got access to joysticks.

Nevertheless the game is extremely addictive and great fun to play. And, if you'll excuse just one pun, if your tastes are like mine you'll stay riveted for hours!

The cassette version costs £9.95 and the disc version is £12.95.

David Andrews

Given the bird - and loved it

WHEN *Miner 2049'er* was released on an unsuspecting Atari computer-owning public some two or three years ago, little could its creators have realised what a phenomenal amount of clones it would spawn.

Every popular machine has more than its fair share of jumping and climbing games, the best-known probably being the *Miner* Willy games available for the Spectrum.

One thing that all these games have in common is that they owe their concept to *Miner 2049'er* - and we Atari owners are smug in the knowledge that we saw it first.

Now - after what is probably the longest-ever wait

for a follow-up in computer games history - comes **Bounty Bob Strikes Back!**

Originally to be called *Scraper Caper*, this game has arrived well over a year after full-colour double-page advertisements for it appeared in American computer magazines. Talk about starting the hype early!

All of this, of course, leads to the inevitable question - was it worth the wait?

The answer must be a resounding YES!

I made arrangements to borrow the cartridge from a (rich) friend (thanks, Nigel) who had bought it direct from the States at great expense (the pound was just about one for one against the dollar at the time).

The time limit on the loan was to be a maximum of two weeks as he couldn't bear to be parted from it for any longer.

The whole *Bounty Bob* package reeks of sharp American techno-flesh, right from the box, which is at least five times bigger than it needs to be, the instructions, which are in the form of a giant full-colour poster, and, fortunately, the game itself.

I inserted the cartridge into the left-hand slot of my trusty Atari 800, switched on - and what? A grid with birds flying around carrying letters? Could this be the correct game I had here?

But sure enough it was. The birds actually fly all around the screen and drop the letters

into the grid and spell out the game title, programming information and other relevant details.

The option key gives access to a user definable customiser screen which includes the amount of lives for Bob, difficulty level, music volume - you name it, you can change it.

There is even a line called special code which the instructions say little about, only that it allows Big Five programmers access to the games code.

One surprising omission is the inability to enter the game from anything but level one, but this is sorted out after clearing certain levels of the game.

Secret messages are flashed on to the screen with the necessary information to enter the game at higher levels.

On pushing Start, the first screen scrolls smoothly from the bottom to the top of the TV screen in that familiar way that we Atarians know and love.

And, suddenly, there they all are - Bob, the mutants and the transporters that we've all seen before on *Miner 2049'er*.

Then came the first feeling - of disappointment. Was this just going to be a re-run of *Miner*?

Bob certainly looked exactly the same - that old familiar grin on his face and his battered hat perching jauntily on his head, shuffling along filling in rectangles fit to burst.

It took me quite some time getting through that first screen, but I'm glad I persevered with it - from the second screen on, the action gets far more fast and furious and every screen is absolutely alive with a whole wealth of new and reworked ideas.

I only managed to get to level five and I played the game a heck of a lot in the two weeks that I had it.

Not since *Boulderdash* (which I personally rate as the best computer game of all time) have I come across such a 100 per cent addictive game.

It is so alive with great ideas that you'll eagerly play it until two in the morning just to glimpse the next screen, so

you can go to bed and have nightmares about how the neck you're ever going to get through it the next day.

Just a quick word about the hi-score screen. It's about the most inventive I've ever seen. Just take a look for yourself.

The only minus point I can think of about the game is that I can't find a way to cheat by jumping into any level.

Typing in the Big Five

phone number to jump levels in *Minor 2048'er* was an open secret to most Atari-owners. I've yet to find the secret on *Bounty Bob*.

I'm sure it's something to do with that special code on the customiser screen.

It's certainly not the phone number this time around—I've tried. And besides, the phone number is used to warp you out of tricky situations where

you would normally have to wait for the game's timer to count you out.

Incidentally, for those of you who must be wondering at this point—No, I don't work for Big Five Software. I don't know the programmers personally, and I sure haven't got shares in the company—I'm just a dedicated Atari user who loves classy games.

At the time of writing,

Bounty Bob was only available on import from America, at the horrendous price of £49.95.

But the good news is that US Gold should be bringing it out soon for a lot less.

It'll be the bargain of the century, so beg, borrow, or sell your old *Dragon* (no, not your mum, stupid!) but rake up the money somehow and make sure you get a copy.

David Rolls

The hard route to the top

If chess is a little too violent for your delicate sensibilities, if you'd rather run away than attack and capture, perhaps you need *Pensate* from Penguin Software.

In this game the object is simply to get from the bottom of the 8 x 8 board to the top while avoiding the computer's pieces.

The computer has 10 different pieces available, some of which move in a different way depending on how you move. The direction arrows always move the way they are pointing, but the other pieces are more devious.

For example, the pincer with black and white arrows always moves in the opposite direction to you. The piece which looks like a continental roundabout sign moves left or right if you move up or down, and moves up or down if you move right or left.

The two horse pieces have a chess knight's move, but in a particular direction depending on which way you go.

There are two basic modes—practice and tournament—and you'll need to start in the former. In this, you can choose which pieces the computer has on the board and also their starting positions.

In practice mode it's very easy to win if you're desperate to. Simply give the computer a couple of pieces that will do nothing but move out of your way.

Of course, the more interes-



The *Pensate* pieces have devious ways of moving.

ting games are played in tournament mode. Here you get to specify the skill level at which you play, and this determines the complexity of the playing pieces which the computer chooses for itself.

However tournament mode also requires you to play at least two moves ahead. That is, you specify your next two moves each time.

Your first move is taken, then the computer moves its pieces one at a time. Then this process is repeated with your second move, following which you specify your next two moves.

Once you really get the hang of it you can choose to

play up to four moves ahead. If the computer has a few complex pieces on the board it can get quite tricky trying to see into the future.

You win by getting to the top of the board and you lose by coinciding with one of the other pieces. However if one of the computer's pieces lands on another it makes its own move again.

The computer has the added advantage that its pieces "wrap around". If they hit the edge they reappear at the opposite edge. If your pieces hit the edge they get flat noses.

While you're learning you can set the speed option to

slow and watch the pieces make their moves. The manual promises that once you've mastered the moves "a faster speed will allow victory to come swiftly". Yes, but victory for whom?

At lower levels *Pensate* is a little tame and you get bored about the victory tune. However once you get involved and move up a few levels it's a real brain-bender. It's then that the fun becomes a true reward.

The facility to start very simply makes *Pensate* a very accessible game, but don't be fooled. If it grabs you it could change the way you move around the office.

CSI/McKnight

WE looked at Graphics 1 and 2 last month and saw how they were split screen text modes. We also saw that only half the character set was immediately available – normally the numbers end upper case letters.

Now we'll access the "hidden" half of the character set and see how we can use lower case letters in Modes 1 and 2.

Let's start with one of the little programs from last month. Type in and run Program I:

```
10 GRAPHICS 1
20 POSITION 5,5
30 PRINT US;"ATARI USER"
```

Program I

It should produce our name in orange upper case letters and the word Ready should be in the text window at the bottom of the screen.

The operating system can only see the half of the character set containing upper case letters at the moment. However there is a location in memory which tells the system which half to look at.

Location 756 usually contains the value 224, which specifies the upper case half of the character set. If you'd like to verify this, simply type:

PRINT PEEK(756)

in the text window. The value 224 should appear at the top of the text window.

In order to convert our name to lower case all you need to do is change the value in location 756 to 226. You can do this by entering:

POKE 756,226

in the text window. Try it now and see what happens. There's our name in lower case as promised, but what are all those hearts doing there?

If you laid the two halves of the character set out next to each other, the lower case letters would line up with the upper case letters. That's why ATARI gets changed to atari.

The hearts arise from the fact that the space character lines up with the special graphic heart shape. Consequently changing the value of location 756 to 226 causes a heart to be printed wherever a space was printed previously, which in this case means most of the screen.

A screenful of hearts might be

Redefine cheating

Part Three of DAVE RUSSELL's series on the Atari graphics modes

useful on one particular day in February, but for most of the time they tend to clutter up the display.

There are two ways we can get rid of the hearts, one by "cheating" and losing one of the available colours, the other by redefining the character set. With the screenful of hearts, enter:

SETCOLOR 0,0,0

and the screen should be blank again. All you've done is change the colour in register 0 to the same colour as the background. Hence the hearts are still there in one sense – they're just printed in the same colour as the background. It's a bit like using black chalk on a blackboard.

Unfortunately although our name is still there, we can't read it because its colour was also defined by register 0. We saw how to change colour last month by using lower case letters to select a different colour register, so we can use this technique now to restore our name.

Press Reset and enter Program II:

```
10 GRAPHICS 1
20 SETCOLOR 0,0,0
30 POKE 756,226
40 POSITION 5,5
50 PRINT US;"atari user"
```

Program II

When run it will produce the familiar result in lower case, with the letters now being green instead of orange because register 1 is selected.

The second method of removing the hearts requires a little more work but introduces a technique which can be put to good use in other ways. It requires us to redefine the character set.

When you turn your micro on the characters are already there because they are held in read-only memory – ROM. As the name implies, we can only read from this sort of memory, we can't write to it or alter it.

Now if the character set was in RAM – random access memory, more properly called read and write memory – we could change it at will. What we must do, then, is move the character set into RAM so that we can change the heart character to something else.

We don't actually move the character set, we simply copy it, just like taking a photocopy. However before we do this we need to know how the micro represents the characters if we're going to change some of them.

If you look closely at the heart shapes you'll see that they are made up of little dots. The micro represents each dot as a bit of information in its memory, and each memory location can store eight bits, or a byte as it's known.

If you've been following Mike Bibby's Bit Wise series you'll know that a bit can be either 1 or 0. If it is 1, then a dot gets printed on the screen. If it is zero, no dot is printed.

Each character is represented as

that heart

an 8 x 8 matrix of dots, and so requires eight bytes of memory. The bit pattern for the heart shape looks like this:

```
00000000
00110110
01111111
01111111
00111110
00011100
00001000
00000000
```

With not too much difficulty you can see that the 1s form a heart shape against a background of 0s.

Each row of the matrix can also be read as a number by converting the binary representation to decimal. The top row of the heart would be 0, the second row would be 54, the third row would be 127 and so forth.

In order to redefine the heart shape as a space, we need to set the bit pattern of the character to the bit pattern of a space. Fortunately, the bit pattern of a space is easy to remember — it's simply eight rows of eight zeros. All we need to know now is where the bit pattern is held in memory. We'll know that when we decide where we're going to put the character set in RAM.

Program III copies the character

set into RAM and redefines the heart shape as a space. However it needs to do some "housekeeping" on the way, so I'll explain what each line is doing.

```
10 RAMTOP=PEEK(106)
20 POKE 106,RAMTOP-4
30 GRAPHICS 1
40 CHBAS=RAMTOP-4
50 ADDR=CHBAS+256
60 FOR R=0 TO 127
70 POKE ADDR+R,PEEK(57344+R)
80 NEXT R
90 CHR$=64
100 POK=ADDR+(CHR$*8)
110 FOR R=0 TO 7
120 READ A
130 POKE (POK+R),R
140 NEXT R
150 DATA 0,0,0,0,0,0,0,0
160 POKE 756,CHR$+2
170 POSITION 5,5
180 PRINT #6;"MATRIX USER"
```

Program III

The character set occupies 1k of memory, so we need to set aside this amount of RAM and protect it in order that the rest of our program doesn't interfere with it. The easiest way to do this is to move the top of memory down by 1k and put the character set

in there. If we tell the micro that we've done this, it will do the necessary protecting for us.

Memory is organised in $\frac{1}{2}$ k (or 256 bytes) pages and so we need four pages of memory for the character set. Memory location 106 holds the current position of RAMTOP, the top of RAM memory, so line 10 looks at the current value and line 20 moves the value down by 4 pages, giving us the necessary 1k.

Before we move the character set we must tell the micro that we've moved RAMTOP, otherwise we might write over the display list. The easiest way to do this is to issue a GRAPHICS command, hence line 30.

We'll call the beginning of the character set CHBAS. Line 40 tells the micro where CHBAS is to begin, with line 50 giving the actual location.

In ROM the character set begins at location 57344, so the loop from line 60 to line 80 pokes a value into ADDR corresponding to the value held in 57344.

The loop counter increments by 1, so next the value held in 57344+1 is poked into ADDR+1. This loop is carried out 1024 (or 1k) times, resulting in a copy of the character set being poked into RAM and starting at ADDR.

The heart is character number 64 and each character requires eight memory locations. Since we know that the set begins at ADDR, we can work out that the heart begins at ADDR + (64*8). Lines 90 and 100 provide the program with this information.

For each of the eight bytes of the heart character in turn the loop from 110 to 140 writes a 0, as taken from the data in line 150. This replaces the heart with a blank.

Lines 160 to 180 give us our old favourite message, but this time it's in lower case orange.

If you use this routine in your own programs, use:

POKE 756,CHBAS

to access the upper case characters and:

POKE 756,CHBAS+2

to access the lower case characters. The advantages of this technique



EUROPE'S LEADING
'ATARI'
MAIL ORDER
SPECIALISTS

**SOFTWARE
EXPRESS**
INTERNATIONAL

HARDWARE

130 XE COMPUTER 128K	189.99
800XL/1010 PACK including Software	129.99
800XL/1050 PACK including Software	249.99
1029 DOT MATRIX PRINTER	199.99
WS2000 MODEM	149.95
MODEM INTERFACE c/w Viewterm software	59.95
JOYSTICKS	
PADDLES	

SIMULATION

Sublogic F 5. 11	(D)	44.95
F 15 Strike Eagle	(D)	14.95
Solo Flight	(C/D)	9.95/14.95
Space Shuttle	(R)	19.95
Spitfire Ace	(C/D)	9.95/14.95

STRATEGY

Broadsides	(D)	33.95
Colossus Chess 3.0	(C/D)	9.95 / 12.95
Combat Leader	(C/D)	14.95
Computer Ambush	(D)	18.95
Cosmic Balance	(D)	33.95
Cosmic Balance II	(D)	33.95
Eagles	(D)	33.95
Field of Fire	(D)	33.95
Fortress	(D)	29.50
Naval Commander	(C/D)	9.95/ 14.95
Odessa Chess 7.0	(D)	53.40
Rails West	(D)	62.75
Reflector 58"	(D)	45.95
Sargon II (Chess)	(D)	16.95

BOOKS

De Re Atari	17.00
Your Atari Computer Ginc XL	
Mapping the Atari	12.95
Atari Basic Source Book	12.60
Atari XL Handbook	5.95
Technical Reference Notes	17.00
Artists & Graphics Design	12.80
Atari Basic Poster & Better	16.95
Atari User Encyclopedia	17.20
+ 75p post & packing	

FROM THE SOFTWARE FACTORY

MATHS FOR CSE/GCE 'O' Level
A set of Five programs (available individually) which not only test proficiency but also instruct
Years 1 - 4, & 5 (Revision) c/d each 9.95 / 12.95
Centronics Printer Interface Soon
Character Editor / Animator Soon

ENTERTAINMENT

BC's Quest for Ties	(R)	14.95
Boulder Dash	(C/D)	14.95
Bio Defence	(C/D)	9.95 / 14.95
Bruce Lee	(C/D)	14.95
Conan	(D)	14.95
Dig Dug		9.95
Dragons	(C/D)	9.95 / 14.95
Deathion	(R)	19.95
Ghostbusters	(D)	14.95
H.E.R.O.	(R)	19.95
Kissin' Cousins	(C)	6.95

Port App	C/D	9.95 / 14.95
Minor 2010'er	(C)	12.95
Mr Do	(C)	9.95
Pop Man	(C)	9.95
Pitfall II	(R)	19.95
Quisquado	(C/D)	9.95/14.95
Smash Hits I	C/D	14.95 / 17.95
Smash Hits II	C/D	14.95 / 17.95
Smash Hits III	C/D	14.95 / 17.95
Snokis	C/D	9.95 / 14.95
Summer Games	(D)	33.70

ADVENTURE

Adventure Quest		9.95
Beyond the Infinite		P.O.A.
Cut Throats	(D)	29.95
Deadline	(D)	37.95
Dungeon / Adventure	(C)	9.95
Emerald Isle	(C)	6.95
Enchanter	(D)	37.95
Hitch-hikers Guide to the Galaxy	(D)	29.95
The Hulk	(C/D)	9.95 / 17.95
Infidel	(D)	39.95
Lords of Time	(C)	9.95
Mask of the Sun	(D)	43.95
Midwinter	(C)	7.95
Saga 1 - 5	(D)	17.95
Star Trek	(D)	32.95
Sworder	(D)	39.95
Starman	(D)	32.95
Support	(D)	37.95
Suspended	(D)	37.95
Wishbringer (Infocom)		
Witness	(D)	37.95
Zork I, II, III		29.95

INFOCOMS INVISIBILITIES

Hitch Hikers Guide	5.95
Cut Throats	5.95
Suspect	5.95

Available Now

ALL OTHER TITLES ALSO AVAILABLE
AT THE SAME PRICE

COMING SOON

520 ST	
C/w Disc Drive	
S/W Hi-Res Monitor	799.99
OmniTrends Universe & Product Guide	
Blue Max 2001	
Dambusters	
Electrician	
Kennedy Approach	
New York City	

UTILITY

Basic Routines	C/D	7.95 / 11.95
Action	(R)	95.99
Action Tool Kit	(D)	34.99
Basic XL	(R)	69.99
Basic XL Tool Kit	(D)	34.99
DOS XL		34.99
MAC/85	(R)	85.99
MAC/85 Tool Kit	(D)	34.99
Sports DOS	(D)	39.95

NEW FROM G.S.S.

The Writers Tool (D & R)
State of the Art Word Processor
(So Good Mike's Collared the First One!)
86.99

MAGAZINES

ATARI USER 1.00 PAGE 5 90
ANTIC 3.50 ANALOG 3.00

SEND SAE FOR OUR PRICE LIST.
31 STONEYHURST ROAD
ERDINGTON, BIRMINGHAM B24 8HA

HOTLINE
(021) 384 5080

Column 1		Column 2		Column 3		Column 4	
No.	CHR	No.	CHR	No.	CHR	No.	CHR
0	Space	16	O	32	@	48	P
1	!	17	L	33	A	49	Q
2	"	18	I	34	B	50	R
3	#	19	J	35	C	51	S
4	\$	20	K	36	D	52	T
5	%	21	M	37	E	53	U
6	&	22	N	38	F	54	V
7	'	23	O	39	G	55	W
8	(24	P	40	H	56	X
9)	25	Q	41	I	57	Y
10	*	26	R	42	J	58	Z
11	+	27	S	43	K	59	[
12	,	28	T	44	L	60	\
13	-	29	U	45	M	61]
14	.	30	V	46	N	62	^
15	/	31	W	47	O	63	_

1. In Mode 0 these characters must be preceded with an Escape, CHR\$(27), to be printed.

Table 1: Internal character set

over the colour-changing "cheat" method are that all the colours are available and you can redefine any of the characters. All you need to know is the internal character number of the character that you want to change.

For a simple demonstration of redefining the heart to something visible, change all the Os in line 150 to 1s.

Last month we saw how in Modes 1 and 2 the COLOR command selects the character to be PLOTTed. By adding 32 to the character, we produced a different colour but didn't say where the number 32 came from.

Now that we've seen how to use location 756, we can use the COLOR/PLOT combination to produce multi-coloured messages. In

order to do this you'll need to use Tables 1 and 2, which are adopted from pages 55 and 56 of the Atari Basic Reference Manual. (Note that Table 2 corrects an error in the original.)

Find the character you want in Table 1. If it is in column 1 or 2 it is part of the upper case set. If it is in column 3 or 4 it is part of the lower case set. Remember that at the level we're operating we can't mix upper and lower case characters.

Suppose we want to plot an A in the colour contained in register 0 (orange). Table 1 tells us that A's character number is 33 (column 2) and Table 2 tells us that in order to plot column 2 characters in register 0 colour we must add 32 to the character number.

If we'd wanted to plot the A in register 3's colour (purple), Table 2 tells us that we would have to add 192 to the character number.

The registers contain their default values but we can alter them using the SETCOLOR command as we saw in the May issue of Atari User.

To illustrate the use of the conversion factors type in Program 4 while you've still got Program 3 in memory. It overwrites lines 170 and 180 and adds lines 190-220, using the same technique as we used last month.

```

170 FOR A=1 TO 10
180 READ X
190 COLOR X
200 PLOT A*5,X
210 NEXT A
220 GOTO 85,110,193,242,73,32,
117,211,229,82

```

Program 4

I'll leave you to play with the actual colours displayed by changing the contents of the registers via SETCOLOR. You can get some nice effects with a well-placed FOR ... NEXT loop.

		POKE 756,224		POKE 756,226	
Mode 1	SETCOLOR 0	+32	+32	-32	-32
	SETCOLOR 1	None	+64	-64	None
Mode 2	SETCOLOR 2	+160	+160	+96	+96
	SETCOLOR 3	+128	+192	+64	+128

Table 2: Character colour assignment

Antic ... the reason Atari graphics pack such a mighty punch

MIKE ROWE
begins a series on how to
produce spectacular displays
with an Atari

ONE of the Atari's most renowned and spectacular features is its graphics capability. This machine has 16 different graphics modes and can display up to 16 colours from Basic (256 using machine code).

This is more than any of its rivals and more than many computers costing thousands of pounds. The reason the Atari is able to perform these feats is the inclusion of a chip called Antic to look after screen display.

This is a microprocessor in its own right and runs alongside the 6502 main microprocessor, freeing that for the user program. In addition there is the GTIA chip, which is also a microprocessor. This creates the famous Atari player-missile graphics and interfaces the computer to the TV display.

For those of you who are new to your Atari the 16 modes consist of five modes that display text and 11 modes that display graphics. These are shown in Figure 1.

You may have noticed that there

are two kinds of mode number, Basic and Antic. The Basic number is that used in a graphics call from a Basic program. For example Graphics 0 gives you the standard 40 x 24 text mode.

The Antic mode number is the one stored in memory to be used by the Antic chip to tell it what kind of screen to display. This is calculated from the Basic mode number and stored in the correct location in memory by the computer's operating system — the Antic number of Basic graphics Mode 0 is in fact 2. Using the Antic mode numbers directly without a Basic graphics call will be explained in later articles.

Don't ask me why Atari had to make the two numbers different, but they did and we're stuck with it. From now on, when I refer to graphics modes I mean the Basic mode and if I want to refer to the Antic mode I will specify Antic.

How does the Antic chip work? A television picture is created by a beam of electrons hitting a fluorescent screen on the inside of your TV

Basic mode number	Antic mode number	Text or graphics	Number of colours	Columns	Rows full	Rows split	Bytes of memory needed
0	2	TEXT	2	40	24	—	993
1	6	TEXT	5	20	24	—	513
2	7	TEXT	5	20	12	10	261
3	8	GRAPHICS	4	40	24	20	273
4	9	GRAPHICS	2	80	48	40	537
5	10	GRAPHICS	4	80	48	40	1017
6	11	GRAPHICS	2	160	96	80	2025
7	13	GRAPHICS	4	160	96	80	3945
8	15	GRAPHICS	2	320	192	180	7900
9	15	GRAPHICS	1*	80	192	—	7900
10	15	GRAPHICS	8	80	192	—	7900
11	15	GRAPHICS	16	80	192	—	7900
12	4	TEXT/GR	5	40	24	20	1152
13	5	TEXT/GR	5	40	12	10	664
14	12	GRAPHICS	2	160	192	160	4296
15	14	GRAPHICS	4	160	192	160	8136

* = 16 Shades of 1 colour

Note that graphics modes 12-15 are available directly from Basic only on the XLs. They can only be obtained on the 400/800 computers by creating the mode yourself.

Figure 1: Graphics modes

tube (oversimplified). The beam is made to scan horizontally in sequential lines across the screen and the whole screen is covered 50 times a second.

A normal TV picture consists of 625 of the lines (in fact it consists of 312 interlacing, alternating lines). The computer display, to avoid overscanning the TV and losing data, consists of only 192 lines, leaving a gap at top and bottom of the screen.

Antic is able to control each scan line individually and up to 320 individual pixels horizontally. A pixel is a single point on the screen created by the computer and therefore the smallest dot it can make.

In between each horizontal scan of a line there is a small delay — the horizontal blank. Also between each time the screen is drawn there is another delay — the vertical blank. More of these later.

The higher resolution modes (192 vertical resolution, say Graphics 8) use one scan line per horizontal row of the screen. However other modes use up to 16 scan lines per line of the graphics mode.

The scan lines used are:


Basic mode	Vertical resolution	Scan lines/ mode line
0	24	8
1	24	8
2	12	16
3	24	8
4	48	4
5	48	4
6	96	2
7	96	2
8-11	192	1
12	24	8
13	12	16
14	192	1
15	192	1

The next question is, how does Antic know what to display? The answer lies in the display list, a small machine code program interpreted by Antic to give the display. It tells the chip two main things:

- The Antic graphics mode number for each line.
- The memory location of the screen display.

It is normally created and manipulated by the computer's operating system and the Basic programmer can forget it.

The whereabouts of the display list



is stored in rather a complicated way. In memory locations decimal 560 and 561, because a computer does not work in decimal (base 10) as we do. It works in binary numbers (base 2).

These are often expressed as hexadecimal (base 16) — see Mike Bibby's 8it Wise article on Page 46 for an explanation of this.

Every memory location in the computer can store a number between 0 and 255. Therefore to express numbers greater than 255 you must use two memory locations. So to store a number such as 42000 you must split it into two parts. This is done by firstly finding the number of times 256 will divide into it and secondly the remainder.

The first number is known as the high byte of the number and the

remainder is the low byte. They are stored in memory in the order low byte, high byte. For example, for 42000 you get $42000/256=164$ remainder 16. The high byte is 164 and the low byte 16.

If 42000 was the location of the display list then 560 would contain 16 and 561 would contain 164 (if there is no remainder then 0 must be stored in 560).

Conversely, to find where the display list is located you multiply the number in location 561 by 256 and add this to the number in location 560, that is $PEEK(561)*256+PEEK(560)$ gives the location of the display list.

Most display lists are very short,

Decimal	Hex	
112	70) 3 lines
112	70) each of 8 blank
112	70) scan lines
66	42	= 64 (LMS instruction) + 2 (Graphics 0 line)
64	40) Screen memory location
156	9C) = 64 + 156*256
2	02) 23 lines the same
"	") i.e. 23 Basic Graphics 0 lines
65	41	= 64 - 1 End of display list & JMP to
32	20) Memory location of start of list
156	9C) = 32 + 156*256

Figure 11 - Graphics 0 display list

Display List

usually less than 100 bytes. The display list used for Graphics 0 is typical and is shown in Figure 11.

To some extent the display list is fairly self-explanatory, however a few things need expanding. Firstly, the LMS instruction. This means Load Memory Scan and tells Antic to look at the next two instructions to find where in memory the screen should be displayed from.

The above display list has only one LMS instruction but a display list can have several of these pointing to different memory locations, and can even have a different LMS for each mode line.

Therefore any mode number can be added to an LMS instruction to tell Antic to look for its display data wherever you wish. The above display list starts with three lines, each of eight blank scan lines to give 24 blank scan lines at the start of the list.

All the standard graphics modes start with this. The number 112 (\$70) is only one of several "blank line"

Instructions:

Decimal	Hex	Number of blank scan lines
112	70	8
96	60	7
80	50	6
64	40	5
48	30	4
32	20	3
16	10	2
0	00	1

The end of the display list can be split into three numbers starting with a 65 (\$41). This can be divided into 1+64. The 1 tells the display list to jump and the 64 is an LMS telling Antic that a memory location follows. The next two numbers are therefore the memory location that the list jumps to, in this case the start of the list. These two numbers will be the same as in memory location 560 and 561 respectively, as they point back to the beginning of the display list.

Other instructions may also be included in the list and the following

table gives the instruction codes that can be included in a display list by adding it to the Antic mode number. We'll see more of these in later articles.

Decimal	Hex	Instruction
16	10	Horizontal scroll
32	20	Vertical scroll
64	40	LMS
128	80	Jump to the display list interrupt

This is all very interesting, I hear you say, but of what use is it and do I really need to know all this? Well, if you are happy to have just the 16 simple modes provided then no!

However, much more spectacular and attractive displays become available if you can understand this and know how to alter things to your heart's desires. This is done by creating your own custom display list and mixing modes on the same screen and by creating things called display list interrupts.

More about these next time.

Computer Support PRESENTS

A whole new range of affordable software and hardware products for every Atari user

80 COLUMN PACK £59.95
At least 80 columns built in to your Atari, selectable on powerup, works with currently available software.

ULTIMONI £49.95
A built in machine code monitor capable of stepping any program on the fly, examine/user registers/memory, read from disk, write to disk, menus to program and many other commands available. A must for all assembly language programmers.

THE GAP £29.95
Fill the 4k gap in your 600/800 with this hardware modification, one fixed to a 40k machine there will be 52k of user RAM.

BOM EMULATOR £29.95
Overlook and debug cartridge software quickly and effectively, just flick a switch and cartridge RAM becomes ROM, can also be used to compare with CARTRIDGE DUPLICATOR to backup these internally protected cartridges then produce a custom copy.

OVER-WRITE £14.95
Use the other side of all your diskettes, simple to operate just flick a switch.

RADSECTOR £19.95
A hardware modification. Write bad sectors to new diskette, can be used for custom creation of bad sectors or to backup some protected disks.

PORTPRINT £29.95
Run a standard centronics compatible printer from the joystick ports of any Atari computer, includes a reliable header, runs with most recent programs, comes complete with connection lead.

SUPER DISASSEMBLER £24.95
Disassemble any disk, cartridge or cartridge use system labels with 100% input to pre-determine data bytes, the end result file can be customised then re-assembled using an assembler.

FILE LOADER £14.95
An excellent DOS menu which does not require DOS on the disk. Ideal for games.

BOOT LOADER £14.95
A self booting menu, compares boot disks/cartridges to a file format, utilities include tape to disk, disk to tape, disk to disk, format, write new master.

We are continually adding new products to our range please send SAE for full details.

*ATARI is a registered trademark of ATARI CORPORATION
*MACRO is a trademark of S.S. Inc.

Other items available:

ZAPPING TOBIES	£6.95	£1.95
GOBHTHM	£4.99	£2.99
MAILING LIST		£12.95
UTILITY PAC ONE	£8.95	£8.95
OSK DUPLICATOR		£14.95
DISC DUPLICATOR 128k		£18.95
CARTRIDGE DUPLICATOR	£15.95	£18.95
CASSETTE DUPLICATOR	£9.95	£10.95
MACRO LIBRARY OMACSP		£12.95
MONITOR CONNECTION LEAD		£8.95
*Please specify make and model of monitor.		
H-FI CONNECTION LEAD		£4.95
*Please specify make and model of H-FI.		
REPLACEMENT AERIAL LEAD		£2.95
SERIAL FLYLEAD (1 metre)		£11.95
SERIAL FLYLEAD (2 metres)		£12.95
SERIAL I/O FLUID		£3.95

Coping with

128k RAM SELECT

An extra 64k of user memory for the 800XL.

EPROM SELECTOR

Select from any one of up to eight eproms from a menu on powerup, includes board and ROM.

CARTRIDGE SELECTOR

Select from any one of up to four ready plugged in cartridges.

ULTIMAC!

Simple the best macro assembler yet.

DOUBLE CHIP

Upgrade your 1050 disk drive to true double density (180k) with switchable default to single or double density.

EPROMMER

A very advanced eprom programmer.

Send cheque or postal order to:

Computer Support

26 Sencourt Road, Abbey Wood, London SE29 9UW

Tel: 01-311 7338

Add 10% for Post & Packing


Please allow up to 28 days for delivery

Please write
Mail Order only

colourspace

PRICE £7.50

A LIGHT SYNTHESIZER



llamasoft



ATARI

LJA 41005

AVAILABLE FROM W.H. SMITHS, BOOTS, WOOLWORTHS AND MOST COMPUTER RETAILERS OR FROM
LLAMASOFT 49 MOUNT PLEASANT, TADLEY, HANTS (TEL: 07356 4478) SAE FOR CATALOGUE & NEWSLETTER

'THE NATURE OF THE BEAST'

Get right to the heart of your

KEVIN EDWARDS shows how to examine machine code by employing a disassembler.

AT the heart of all the Atari computers, except the ST range, is the 6802 central processing unit, CPU for short, which is responsible for keeping your micro working. It does this by executing complex programs which are contained in memory.

Machine code programs consist of binary numbers, each having a different meaning to the CPU. Now we humans aren't much good at making sense of a series of numbers, but fortunately a disassembler translates these numbers into assembly language.

It's not exactly the Queen's English, but is a lot easier to understand.

The next thing we need to know is the location of the machine code programs which keeps the Atari working — this is known as the operating system or OS.

The OS starts at location 55286 (\$0B00) and ends at 65535 (\$FFFF). So if you're in need of some machine code routines to examine then 55295 is a good place to start.

Don't expect to understand it though. It's fairly complex.

Another large section of machine code program is the Basic interpreter. This can be found in locations 40060 (\$A000) to 40151 (\$BFFF). No matter what language you program in, it always gets executed by a machine code routine — and you can have a lot of fun trying to fathom out how it works.

Program 1 is the disassembler.

Type it in and save it. It uses a simple machine code routine to convert a decimal number into hexadecimal. You can see what it does by disassembling it.

When you run the program the message "wait a moment..." will appear. This is printed while the program reads in the data statements.

After this you will be prompted for the start location. This must be a number between 0 and 65535 (0 and \$FFFF).

Let's assume 40060 (\$A000) has been entered. The program at the address will be disassembled. You'll get something like this:

ADDR A5 CA	LDA #CA
ADDR D8 24	BNE #ADDR
ADDR A5 B8	LDA B8
ADDR D8 45	BNE #ADDR
ADDR A2 FF	LDA BFFF
ADDR 9A	TST

The first number is the address of the program being disassembled (in hex, as with all numbers printed). The next number indicates the instruction type (the command byte). This can be followed by 0, 1 or 2 bytes which give additional information about the instruction — this specifies a memory location or constant used by the command.

Next, the mnemonic for the instruction is printed. A mnemonic is an abbreviation for the type of operation the command performs. For example, LDA means Load Accumulator, and BNE means Branch if Not Equal. If the command byte is invalid three question marks will be printed instead.

After the mnemonic comes the addressing mode. This indicates the way in which the command is to be used. For example, LDA \$FF means Load the Accumulator with the contents of location \$FF. Figure 1 gives a list of the addressing modes available, where \$XX and \$XXXX are hexadecimal numbers.

Not all of the addressing modes are available for each command. This is why large amounts of data are needed to indicate which are valid. It would be much simpler to program if every command allowed every addressing mode.

The program will continue disassembling memory until the end of memory is reached (\$5535, \$FFFF) or the S key is pressed.

Pressing S stops the disassembly and requests another start address. You can stop and start the output from the program by pressing Control-1. This is very useful if you're working your way through a complex routine where you need extra time to think.

When you've finished using the program you can exit by pressing Break.

Let's take a look at how the disassembler works. All of the mnemonics are held in the string *MNS*. The mnemonic data for all the 256 commands are in the array *MNUM(n)* — where *n* is the command number.

So by accessing the array *MNUM* we can find the corresponding mnemonic number for the command. Multiplying this by three results in the offset for the three different mnemonic characters in the string *MNS*. Extracting this from the string

\$XX	- Immediate
\$XXXX	- Absolute
\$11	- Zero Page
\$	- Accumulator
	- Implied (nothing)
(\$X),X	- Pre-indexed indirect
(\$X),Y	- Post-indexed indirect
\$X,X	- Zero page,X
\$XXXX,X	- Absolute,X
\$XXXX,Y	- Absolute,Y
\$X,X	- Relative
\$XXXX	- Indirect
(\$XXXX)	- Indirect
\$X,Y	- Zero page,Y

Figure 1

depending on the previous result — see lines 230 and 240. Figure II shows the addressing modes and corresponding numbers used by the array *ADM(n)*.

Another array, *BYT(12)*, indicates the number of bytes taken up by each addressing mode. This is needed so that the program knows how many bytes to print after the address and by how many the memory address is to be incremented.

As I mentioned, the disassembler has its own machine code routine at location 1664 (\$680). This is

responsible for converting a decimal number into hexadecimal ASCII characters. It is needed because Atari Basic does not support any command to print numbers in hexadecimal.

The rest of the program is quite straightforward.

Now it's up to you. You can begin by disassembling all those brilliant games to see how they work. Certainly, one of the best ways to improve your programming is to work out how other people's programs achieve their effects.

- 0 - Immediate
- 1 - Absolute
- 2 - Zero Page
- 3 - Accumulator
- 4 - Implied
- 5 - Pre-indexed indirect
- 6 - Post-indexed indirect
- 7 - Zero page,x
- 8 - Absolute,x
- 9 - Absolute,y
- 10 - Relative
- 11 - Indirect
- 12 - Zero page,y

Figure II

VARIABLES

MN\$	String containing the mnemonics.
MNUM(255)	Mnemonic numbers for each command byte.
ADM(255)	Addressing mode for each command byte.
BYT(12)	Number of bytes taken up by each addressing mode.
START	Address currently being disassembled.

OPC	Command byte for current instruction.
A	General purpose.
LOOP, LOOP2, LP	General loop variables.
OFST	Number of bytes used by current instruction.
NUM1	An 8 bit number which is to be printed out in hexadecimal.
NUM2	A 16 bit number which is to be printed out in hexadecimal.

1010 DATA 10,25,0,0,0,25,3,0,14,25,0,0	,0,44,70,0	3240 DATA 0,0,4,4,2,2,2,4,4,0,4,4,1,1,
,0,25,3,0		1,4
1020 DATA 25,2,0,0,7,2,40,0,25,2,40,0	3250 DATA 4,5,4,4,4,2,2,0,4,0,3,4,4,1,	
7,2,40,0	1,4	
1030 DATA 0,2,0,0,0,2,40,0,45,2,0,0,0,	3260 DATA 10,0,4,4,4,7,7,4,4,9,4,4,4,0	
2,40,0	,0,4	
1040 DATA 42,24,0,0,0,24,33,0,30,24,33	3270 DATA 1,1,4,4,2,2,2,4,4,0,3,4,1,1,	
,0,30,24,33,0	1,4	
1050 DATA 12,24,0,0,0,24,33,0,30,24,0,	3280 DATA 10,0,4,4,4,7,7,4,4,9,4,4,4,0	
0,0,24,33,0	,0,4	
1060 DATA 45,1,0,0,0,1,45,0,30,1,41,0,	3290 DATA 4,0,4,4,4,2,2,4,4,0,3,4,1,1,	
30,1,41,0	1,4	
1070 DATA 12,1,0,0,0,1,41,0,47,1,0,0,0,	3300 DATA 10,0,4,4,4,7,7,4,4,9,4,4,4,0	
,1,41,0	,0,4	
1080 DATA 0,40,0,0,50,40,45,0,32,0,54,	3310 DATA 4,0,4,4,4,2,2,4,4,0,3,4,1,1,	
0,50,40,45,0	1,4	
1090 DATA 4,40,0,0,50,40,45,0,50,40,55,	3320 DATA 10,0,4,4,4,7,7,4,4,9,4,4,4,0	
,0,0,40,0,0	,0,4	
1100 DATA 32,30,31,0,32,30,31,0,52,30,	3330 DATA 4,0,4,4,2,2,4,4,4,4,4,1,1,	
51,0,32,30,31,0	1,4	
1110 DATA 0,30,0,0,32,30,31,0,17,30,52	3340 DATA 10,4,4,4,7,7,12,4,4,9,4,4,4,	
,0,32,30,31,0	0,4,4	
1120 DATA 20,10,0,0,20,10,23,0,27,10,2	3350 DATA 0,0,4,2,2,2,4,4,0,4,4,1,1,	
2,0,20,10,23,0	1,4	
1130 DATA 5,10,0,0,0,10,23,0,15,10,0,0	3360 DATA 10,4,4,4,7,7,12,4,4,9,4,4,0,	
,0,10,23,0	0,5,4	
1140 DATA 15,44,0,0,15,44,25,0,20,44,3	3370 DATA 0,0,4,4,2,2,4,4,0,4,4,1,1,	
4,0,15,44,25,0	1,4	
1150 DATA 0,44,0,0,0,44,25,0,40,44,0,0	3380 DATA 10,0,4,4,4,7,7,4,4,9,4,4,4,0	
	,0,4	

Tired of typing?
Take advantage of our
finger-saving offer on Page 61.



NO. 2. U.S. HIT

THE *Only* REALISTIC

BASKETBALL

ACTION PROGRAM FOR YOUR

NOW
 AVAILABLE ON
SPECTRUM 48K
AMSTRAD CPC464
ATARI 600/800XL
Includes FREE
 T-shirt & 2000
 Double 1000000
 50000

ONE-ON-ONE



THIS PROGRAM HAS
 BEEN PERSONALLY RE-
 TAINED BY TOP U.S.
 BASKETBALL SUPERSTARS -
 THE JULIUS ERVING & LARRY
 BIRD AND IS BASED ON THEIR
 REAL GAME MOVEMENTS



Basketball fans should love this simulation of the game — it has some of the most lifelike animation ever seen in a sports game —

- To see your player spin 180 degrees, dribble past the defender and shoot close in, gives a vicarious and unmatched in any other sports

and quite simulation I've seen.

- All this adds up to one heck of a great game.

Bob Chappell
 Personal
 Computer News

**COMING
 HIT!**

**Fast Load
 Chrome Edge**

A Basketball
 action program for the
COMMODORE 64
 U.S. No. 2 HIT

ariola

**INCLUDES
 SPECIAL
 DISCOUNT
 VOUCHER**

FEATURES • PLAY THE COMPUTER OR A FRIEND • 4 SKILL LEVELS • BUILT IN FATIGUE FACTORS - HOT & COLD STREAKS - FOULS - A STOP CLOCK - AND A REFEREE • INSTANT ACTION REPLAY • JOYSTICK CONTROL •

AVAILABLE FROM ALL GOOD SOFTWARE RETAILERS - IF IT'S NOT THERE PLEASE ORDER IT

ariola HIGH PERFORMANCE PROGRAMS



OLD favourites are always the best, so here's one of the oldest – Bomb Run. It's a fast, colourful, exciting Atari version of one of the classics.

Your plane is running out of fuel and losing altitude at an alarming rate and there's nowhere to land. The only solution is to flatten the deserted city below and create a landing strip using your cargo of bombs.

The controls of your plane have lost power and no longer function, but pressing the spacebar will release a single bomb. When it's exploded the next can be dropped.

There's a lively tune to accompany the instructions page and appropriate sound effects during the main game. Level 1 is the easiest and if you manage to land you start again on the next level with even taller buildings. The highest score is remembered, so there's always the challenge of trying to beat your best.



Bombing the deserted city to make a landing strip is your only hope of survival in this exciting arcade-style challenge by ROLAND WADDILOVE

Program Notes

The program is fairly well structured, so shouldn't be too difficult to follow. Each subroutine has been given a title describing its function and there are few GOTOs.

The character set is copied down into RAM so that some of the characters can be redefined. The pointer to the character data at 756 is poked with the new value - the high byte of the start of the data.

The plane and bomb aren't printed. They are poked directly into the screen memory, which starts at 40320 in graphics mode 1. Also the screen memory is peeked to find out what is in front of the plane and below the bomb.

Peek(764) is used to read the keyboard. This is poked with 265 if there is already a bomb dropping, in order to reset it.

Variables

- B** Bomb position
- C** Character below bomb.
- E** Number of storeys of building exploded.
- H** High score.
- I, J** Loop counters
- L** Level.
- P** Plane position.
- S** Score

Full listing starts on Page 34

A red and white biplane is shown in flight, moving from left to right. It is depicted flying through a large, white, billowing cloud. The background is a light blue sky. The biplane has a red fuselage with white stripes and a white propeller. The wings are also red with white stripes. The tail section is white with a red stripe. The overall style is that of a classic comic book illustration.

```

20 REM On 0.0, On
30 REM On 0.0, Mod:low
30 REM On Atari User
50 GOSUB 6000:REM instructions
60 GOSUB 3000:REM graphics
110 S=0:G=0
120 GOSUB 5000:REM Screen
190 GOSUB 1000:REM Plane
200 GOSUB 1500:REM bank
300 IF PEEK(41) THEN 400
320 IF P=6750 THEN END 200
340 GOTO 120
400 GOSUB 6000:REM lang
450 GOTO 110
500 END
1000 REM New place
1100 P=P+1
1110 PAGE P,1:PAGE P-1,2:PAGE P-2,3
1400 RETURN
1500 REM bank
1502 FOR I=0 TO 16
1504 IF 0=0 THEN 0=0+0.5:GOTO 1.0,0.0,0
1506 NEXT I
1510 IF 0=0 THEN 2000
1520 PAGE 764,255
1540 0=0+20.0:PAGE(0)
1570 IF 0=0 THEN PAGE 0-20,0:PAGE 0,21
1610 REM
1600 IF 0=0 0=0 THEN 50000 2.0,0.0,0
50000 1.0,0.0:PAGE 0-20,0:PAGE 0,21
1650 50000 2.0,0.0,0
1700 END:1=5*PL
1710 PAGE 0-20,0:PAGE 0,195
1740 POSITION 0,217:HG;5;
1790 RETURN
2000 REM New bank?
2010 IF PEEK(764) < 022 THEN FOR I=0 TO
40:NEXT I:RETURN
2020 0=P*20:(0=0=0
2030 IF PEEK(41) > 0 THEN 0=0:RETURN
2040 PAGE 0,195:50000 1.0,0.0,0
2200 RETURN
5000 REM New Screen
5050 L=L+1
5060 POSITION 0,21:PRINT HG;"Screen:";5
1111 ""
5110 POSITION 10,21:PRINT HG;"New:";
L;
5120 POSITION 0,21:PRINT HG;"*****
*****";
5130 FOR I=0 TO 16
5135 50000 0,150+INT(1000*0.013),10,5
5140 FOR J=0 TO INT(1000*(1)*0.143)
5150 P=513000 I,20-J:PRINT HG;CNS(36
1200
5155 FOR K=1 TO 510000 I
5160 NEXT J
5170 POSITION I,20-J:PRINT HG;CNS(379
1200
5180 NEXT I
5190 P=4021:PAGE P-1,2:PAGE P,1
5200 0=0:PAGE 764,255
5210 50000 0.0,0.4,2
5400 RETURN

```

```

0000 REM ***
0001 SCREEN 0,0,0,0:50000 1,0,0,0:50000
2,0,0,0
0005 FOR J=1 TO 1
0006 SCREEN 0,INT(20000*MOD(J,0.10)
0007 FOR I=0 TO 10:NEXT I
0010 SETCOLOR 4,0,12
0020 FOR I=0 TO 10:NEXT I
0030 SETCOLOR 4,7,1
0040 NEXT J
0040 FOR P=0:STEP P=1,7
0050 FOR I=0 TO 100:NEXT I
0055 SCREEN 0,0,0,0
0060 FOR I=0 TO 10
0070 POSITION 0,I:PRINT "0;"
";:REM 20 spaces
0080 NEXT I
0090 IF 500 THEN G=5
0100 POSITION 3,0:PRINT "0;"best score
"/"0
0120 POSITION 4,10:PRINT "0;"PRESS SPA
CE"
0130 FOR 764,255
0140 IF PEEK(764)G=3 THEN G=400
0160 FOR I=0 TO 10
0170 POSITION 0,I:PRINT "0;"
";:REM 20 spaces
0180 NEXT I
0200 RETURN
0000 END Instructions
0005 G=0
0010 GRAPHICS 0:SETCOLOR 4,3,2:SETCOL
0,2,0,1:SETCOLOR 1,0,0
0020 POSITION 10,1:PRINT "0 0 0 0
0 0"
0030 ? : ? "Four planes is running out o
f fuel and"
0035 ? : ? "losing altitude, but there'
s nowhere" ? : ? "to land" ? : ?
0040 ? "The only solution is to flatten
the"
0045 ? : ? "deserted city below with yo
ur bombs."
0050 ? : ? : ? "Press the space bar t
o release a bomb"
0060 ? : ? : ? "Press the space bar t
o start..."
0070 FOR 764,255
0080 INT:SCREEN 0640
0095 J=1:0600 01,07,07,04,05
0100 IF 010 THEN 0100
0110 IF I=1 THEN 50000 0,01,10,7:50000
1,02,10,7:50000 2,03,10,7
0120 IF I=5 THEN 50000 0,04,10,7
0130 IF I=10 THEN 50000 0,05,10,7

```

```

0040 8-14 2F 1515 7000 1-11-1-1
0050 2F PEER(7000)=22 7000 RETURN
0060 2F J=4 7000 0005
0070 CODE 0010
0080 DATA 72,217,173,53,45
0090 DATA 54,183,217,53,40
0100 DATA 57,144,230,47,35
0110 DATA 54,183,220,53,40
0120 DATA 0,0,0,0,0
0130 GCB Graphics
0140 GCBPICS 1:5757COL00 4,7,1:5757COL
0,0,3,10:5757COL00 1,0,14:5757COL00 2,9
,10:5757COL00 3,10,10
0150 POSITION 5,0:PRINT M;"THINKING.."
"
0160 SUMMO 0,0,0,0:SUMMO 1,0,0,0:SUMMO
2,0,0,0:SUMMO 3,0,0,0
0170 FOR I=0 TO 1023
0180 PER 16384+I,PEER(57344+I)
0190 NEXT I
0200 DE57000 5000
0210 DATA 0,132,205,253,15,21,205,22
0220 DATA 192,224,240,257,240,240,255,
120
0230 DATA 60,60,24,60,126,120,60,24
0240 DATA 254,148,148,254,254,148,148,
254
0250 DATA 16,16,36,124,254,170,170,254
0260 DATA 255,250,200,255,170,65,170,0
0270 DATA 6,4,9,147,244,180,112,40
0280 DATA 224,124,144,200,61,25,70,60
0290 FOR I=0 TO 63
0300 PER 16384+2*I
0310 NEXT I
0320 PER 750,64
0330 POSITION 5,0:PRINT M;"
"
0340 8-14 2F 1515 7000 1-11-1-1

```



UNBEATABLE BARGAINS !!

SJB SUPERSAVERS

ATARI 800XL + ATARI 1050 DISK DRIVE

Only £239.95

(including Home Filing Manager (disc) and Pay-Off Adventure (disc))

ATARI 800XL + ATARI 1010 RECORDER

Only £124.95

(including Pole Position (cass) and Intro to Programming (cass))

ATARI 800XL

Only £79.95

ATARI 1050 DISK DRIVE

Only £169.95

BLANK DISCS

Single side/Double density

Double side/Double density

Scotch/3M	£14.95
Dynan	£17.95
Memorex (with free case)	£12.95

£19.95
£24.95
£17.95

SJB SUPERSAVERS !!

50 Memorex Single side/Double density Blank Disks in a perspex storage box

only £59.95

50 Memorex Double side/Double density Blank Discs in a perspex storage box

only £79.95

**All prices inclusive VAT
P&P is FREE in UK**

Please send Cheques/PO's to:

SJB DISK SUPPLIES

**DEPT. (A.3.), 11 OUNDLE DRIVE,
WOLLATON PARK, NOTTINGHAM NG8 1BN
Tel: (0602) 782310**



WE already know how skilled and creative Atari users are, and we look forward to receiving your programs and articles for publication in future issues of *Atari User*. However before you send your masterpiece off to us there are one or two points that you ought to bear in mind to make all our lives easier. We call them the seventeen commandments...

The Seventeen Commandments

WHILE not wanting to put programmers' creativity into a straightjacket we've found that life can be made a lot easier for the magazine, our readers and the programmers themselves if we stick to certain standards.

It has also occurred to us that it's no good our just knowing what we want, we have to tell you, our potential contributors. So here are our 17 commandments. Don't be too daunted by the list - it's mostly just commonsense and good programming practice.

● Send us your programs on tape or disc. There's no point in just sending a listing and asking if we're interested. You can't expect us to evaluate a program from merely reading a listing. We may be good, but we're not that good! A cassette or disc with the program on it is a must.

We don't use two part programs in the magazine. Games in two files may look professional but they're the kiss of death as far as the magazine is concerned. Too much can go wrong when people type them in.

● Avoid variables names that lead to confusion such as I and 1, O and 0 and try to use meaningful variable names as well - ALIENS is far more understandable than AL.

● Tell us what the program is supposed to do and refer to it by name. You'd be amazed at the number of programs we get where the author forgets to tell us what it is all about.

In any subsequent correspondence, reference to "my program"

can cause problems by its vagueness. Okay, we'd have the program on record somewhere, but life would be a lot easier all round if its author were less modest and admitted he was the genius behind "Mega-Invasers".

● Label everything with both the program's name and your own name and address. And put the word ATARI on it somewhere. You won't appreciate the reason for this until you produce as many magazines as we do. Keep your own copy of it, too. So far the only existing copy of one particular classic game hasn't disappeared in the post - but there's no reason to run the risk of yours being the first.

If it's a game let us know how to "cheat" so we can test out the higher levels. We're getting on a bit here and our reactions aren't as good as they used to be. (Not that they were up to much when they were as good as they used to be...)

And on adventure-type game or whatnot should come with a map of the rooms and any other crib sheet you possess. Much as we'd like to, we just don't have time to guess the name of Rumpelstiltskin's brother, no matter how much we admire your ingenuity. (Anyway he works in our room.)

● Put more than one copy of the program on your tape or disc. And if you want the cassette or disc back let us have a stamped addressed envelope with the name of the program on it.

You won't appreciate this unless you've run a computer magazine, but please send each different program on a different cassette or disc. If not, we just can't handle them. The rule is, one program per cassette or disc - though recorded several times on it.

● Let us have a printed listing if possible. Screen dumps or off-screen

photos are much appreciated, though not vital. Diagrams are always of use. Often a point that's difficult to put into words becomes clear as crystal when you sketch it out.

● Give a description of the program, what it does, why you wrote it, and outline the way it works and its variables and subroutines.

If it's a game let us have a plot. You'll get an idea of the sort of thing we want by reading the introductions to one or two of our games.

Maybe you could also give a few ideas for its improvement or expansion. Even if you can't get your upgrades to work there's a good chance that someone among our very talented readers will.

Every subroutine ought to be titled clearly with a REM and should be referred to by it. Again, make the title meaningful. Also when you GOSUB use a REM to indicate which subroutine you're using. For example:

100 GOSUB 1000: REM Move man

.

.

.

.

.

1000 REM **** Move Men ****

.

.

.

1100 RETURN

At first this may seem to be far too much fuss, but it's not just for the readers' benefit. As your programs grow you'll find that such REMs more than repay the effort by allowing you to keep track of your work.

When you write out your list of subroutines (vital) try to do it in the form:

100 example Shows how we went...

200 delay Holds things up...

where the line numbers refer to the

lines where the subroutine is defined. Again, this helps by making things clearer to our readers — and you!

We don't expect your program descriptions to be classics of English literature, but it does help if they make sense and are easy to follow. Try reading them out loud — you'd be amazed how much such a simple technique can improve your writing.

Also if you get stuck to put something into words try this trick: tell someone what it is you're trying to put into words — then write it down. Before you reject this hint, try it — more than one professional writer owes his career to it.

- It is good practice to start your program, starting at 10 in increments of 10. This way a missing line stands out like a sore thumb.

- Make sure that the program actually works. Try it out on your friends for their criticism (painful though it may be). The acid test is to ask them to type it in. And — when you find yourself muttering through clenched teeth, "How could anyone be that stupid?" (the answer is "regularly") — cast out the mote in your own eye and offer your program to take account of the feedback.

It's not easy to do, as the all-too-frequent blood feuds among the editorial staff here testify, but it's worth it.

Instructions can make or break a game. Make sure that your's really do instruct. They should be complete and it helps if the spelling and grammar are correct. Apart from causing confusion, such errors also make programs look amateurish.

As well as misspellings, bad grammar, split words and general untidiness are all to be avoided.

Following even the simplest program can cause problems for the most experienced programmer — don't add to them unnecessarily.

- Please do put lots of nice explanatory REMs in your programs. A couple of REM statements with nothing after them at the beginning of the program gives us room to put in our messages without messing up all the line numbers you have referred to in your program description.

- Double space all your written

matter. This means leaving a blank line between each line of text — it's vital from our point of view. Try to follow our style. We have our own ways of doing things. We talk about modes in general but Mode 1 in particular. We press the Return key, not the RETURN key as you might expect.

Just look how we do it in the magazine. Our programs are Program I, Program II, and so on, our diagrams Figure I, Figure II.

- Try to avoid long multiple lines if

If you follow these rules when you submit a program you'll stand a better chance of having it published

you can. Remember, people will be spending hours typing your programs into their micros, and long lines are harder to debug.

- Please, when you send us your work, include a separate page telling us that it is your own work, it has not been offered elsewhere and we have your permission to print it. If you don't, we'll have to return it.

- It's always nice if a program can have an alternative key or joystick option.

- One of the major causes of programs crashing is because the user inputs something the program-

mer wasn't expecting. All right, the idiot shouldn't type in -999 when you ask him his age, but believe me, they will, out of sheer perversity — particularly if the program is educational. There is something about CAL programs that brings out the devil in us all...

So try out all the unlikely options — if you don't, some poor user will.

Actually it takes a lot of skill to idiot proof a program, as it's delicately known in the trade.

Often you're so involved in getting the program to work as it's supposed to that you just can't make the mental leap needed to see it as the passively malevolent reader does. So try it out on your friends!

- Another irritation for a reader is when he sees something like:

PRINT " "

Exactly how many blanks is he supposed to enter?

Use:

PRINT " ":REM 4 BLANKS

- Tell us who you are. We like to know your Christian name and also it's interesting to know your age and profession. After all, we might reject your program, but if we knew you were a fetlock fetter we'd have been able to send you Obscuresoft's 'Fetling fetlocks on the Atari' for review.

Also a telephone number — both home and work — with the correct STD code is really useful, and can save a lot of time.

Thus endeth the 17 rules. If you follow these when you submit something to us you'll stand a much better chance of having it published. More importantly, you'll become a far more professional programmer.

And the better you become the more satisfying it is.

Contributions should be sent to:
Features Editor, Atari User, Europe
House, 68 Chester Road, Hazel Grove,
Stockport SK7 5NY.

TURN your Atari into a simple electronic organ with this easy-to-enter Basic program from W.N. HOLTON. When you run it, the A to I keys become the white notes while W, E, T, Y, U, O and P supply the blacks.

In no time at all you'll be playing your own Atari masterpiece and, if you're feeling ambitious, you could even supply a graphics keyboard. Let's see (or is it hear?) your creations at Atari User. Sounds like it might be fun.

[illegible]

38. AT&T INTELL. July 1988.

Atari DOS 2.5

BEFORE telling you about Atari's new DOS, let's first explain for cassette owners what DOS is. It stands for Disc Operating System, and its job is to handle the storage of information on disc.

When you store anything on cassette, you can just use CSAVE and CLOAD, and the computer will do the rest. So why the need for an extra DOS for disc drives?

The reason is one of memory. The disc handlers have lot more work to do than the cassette handler, and therefore take up about 9k of memory.

Atari decided, quite reasonably, that owners who had only a cassette recorder would be more than a little upset at losing an extra 9k for something that they would never use. Thus, DOS is stored on disc, and will automatically load into the computer when you switch on.

Atari have released three versions of DOS so far, and a fourth is now available. DOS 1.0 took up 9k of memory, and was soon replaced by DOS 2.0. This has a core of 5k which loads into memory on power-up, and a menu taking up a further 4k, which only loads when you type "DOS".

DOS 2.0 has become the standard for all third-party DOS manufacturers, and was well established when Atari came along with the new 1D5D drive and the all-new DOS 3.

This offered extra storage space, but was very poorly received because it was clumsy to use, incompatible with DOS 2.0 discs, and very wasteful of space. Even a spokesman from Atari admitted that it was "a bit of a dog".

Thankfully, Atari have backed

Taking a long hard look at Atari's new operating system, ANDRE WILLEY reports that it's very friendly and makes the most of enhanced density's extra storage space

down, and called in Bill Wilkinson, of Optimized Systems Software, to write a revised version of DOS 2.0 to handle enhanced density.

OSS were responsible for the original Atari DOS, Basic and Assembler/Editor Cartridge, and have since upgraded these products themselves into the excellent DOS-XL, Basic-XL and Mac/65.

They have also released what I consider to be simply the best language available for the Atari - Action! Thus, the news that OSS were doing DOS 2.5 hit the Atari community in much the same way as the music world would take the news that the Beatles were re-forming.

I have been using a pre-release copy of DOS 2.5 for about a month now, and it seems to do all that's claimed for it. It is very user-friendly without being tedious to use, completely compatible with DOS 2.0, and capable of using the extra storage space of enhanced density. The main

menu will prompt you with the following one-letter commands:

- A. Directory of files on disc.
- B. Return to Basic (or cartridge).
- C. Copy file(s) from one drive to another.
- D. Delete file(s).
- E. Rename file(s).
- F. "Lock" file(s).
- G. "Unlock" file(s).
- H. Write DOS files to disc.
- I. Initialise disc (format).
- J. Make duplicate copy of a disc.
- K. Save a block of memory (not Basic programs).
- L. Re-load a saved memory block.
- M. Run a machine code program.
- N. Make a MEM.SAV file (see below).
- O. Duplicate file(s) on single drive.
- P. Format (single density only).

DOS 2.0 owners will recognise all but the last option, though some of the others have been slightly altered. Drive density is automatically selected, which means that when you type I for initialise disc, the computer will detect whether you have a drive capable of enhanced density, and format the disc accordingly.

Should you wish a disc to be formatted for later use on an old 810 drive option P will format a disc in single density regardless of the drive type. Whenever you load a formatted disc into a 1D5D drive it will sense the type - so discs can be swapped about as you wish.

The duplicate disc option (J) will format the new disc before copying, thus ensuring an accurate copy, no matter what density the original was

recorded in.

One interesting point is that any files you create on an enhanced density disc which would be beyond the end of a DOS 2.0 single density disc will show up with < > brackets around the filename, meaning that they will be invisible on a DOS 2.0 directory.

Getting a directory list of files from your master disc will show the following:

```
* DOS      SYS037
* DUP      SYS042
* RAMDISK  COM009
* SETUP    COM070
* CDPY32   COM056
* DISKFIX  COM057
* DDSMAN   019
* MINIMAN  147
573 FREE SECTORS
(Or 270 FREE SECTORS in
single density)
```

The asterisks before each filename indicate that all of the files are "locked", which simply means that DOS will not allow you to delete them without first telling it to "unlock" them again.

The numbers after each name tell you how many sectors long that particular file is - one sector is the smallest length a file can be, and can contain up to 128 bytes. Thus, the file RAMDISK.COM takes up 1152 (or 9 times 128) bytes of disc space.

In enhanced density, a disc has a total of 1010 sectors available, which the directory shows as 999+, to ensure compatibility with DOS 2.0. In single density mode you will get the same amount of free space as with DOS 2.0 - 707 sectors.

The file DOS.SYS which, somewhat surprisingly, is two sectors shorter than on DOS 2.0 is the segment of DOS that loads on power-up, and DUP.SYS is the segment called up when you type "DOS".

This has the disadvantage that when you call DOS on either DOS 2.0, 2.5 or 3, your program will be lost. Therefore you must either SAVE your program before calling DOS, or put a MEM.SAV file on your disc - using menu option N - which will automatically save the program for you before DOS is called and restore

it again afterwards.

The other files on the master disc are a series of useful utilities. The most interesting of these is RAMDISK.COM. This allows you to use the extra 64k RAM on the 130XE in the same way as you would normally use a second disc drive.

The advantage of this is that it is dozens of times faster than a disc drive, and with DUP.SYS and MEM.SAV set up on the RAMDISK (which is handled by RAMDISK.COM), calling DOS is virtually instant (see Table 1).

You get a total of 499 sectors on this "disc", and it is perhaps the most powerful and useful feature of DOS 2.5. The catch - there's always one, isn't there? - is that the contents of RAM are lost when you switch off the computer, which means that you must always finish a session by copying anything that you want to keep back on to a real disc.

SETUP.COM allows you to change the system configuration - number of drives allowed, buffer areas, read-after-write verify mode and so on. It can also create an AUTORUN.SYS file for you, which will run a Basic program and/or set up the RS-232 handlers for modem use when you boot the disc.

COPY32.COM is a utility which will allow you to transfer files from a DOS 3 disc back on to DOS 2.5. It will allow you to view the directory of the DOS 3 disc first, and then choose which files to copy.

DISKFIX.COM is a handy little program which is designed to get you out of trouble if you do something silly to a disc. It is more than a little frustrating to find that, in a fit of temper, your little brother has just erased the last three months' work on your latest Space Invaders program. Thankfully, DISKFIX allows you to un-erase the file again - while you un-erase your brother.

On DOS 2.0 and 2.5, the rename option would allow you to give two files the same name. This was fine until you wanted to separate them again, and you found that if you tried to delete, rename, copy - or anything else - one file, then both would be affected. DISKFIX allows you to give both files different names again.

Another problem can occur if you

Break out of a disc write, which can corrupt the VTOC Table. In plain English, DOS might not know how many free sectors the disc has, and even if you could only see a couple of files on the directory, DOS may show considerably fewer free sectors than it should - thus reducing the amount of data you can store.

DISKFIX will verify each file on the disc, check its length, and recalculate the correct amount of space.

The last two files on the disc contain an AtariWriter document and a Basic program for those without a printer. These will print a copy of an 11-page "Mini-Manual" to DOS 2.5, giving details on general use, compatibility with other DOSs, and the use of the utility files.

The icing on the cake as far as this "Super-DOS" goes is that you can get it free. If you contact Atari's Help-Line (Monday-Saturday, during office hours, on 01-309 7770) they will give you the details of your

DOS TYPE	Initial Load time to Basic
DOS 1	15
DOS 2	10
DOS 2 with MEM.SAV	10
DOS 3	12
DOS 3 with MEM.SAV	12
DOS 2.5	10
DOS 2.5 with MEM.SAV	10
DOS 2.5 (130XE) MEM.SAV in RAMDISK	18
DOS-XL	13
DOS-XL with Basic-XL	24

Table 1: DOS Comparisons

nearest user group or retailer who will be able to put DOS 2.5 on to a blank disc for you.

Atari will NOT be selling it as such, and you will not be charged for it – though you can expect to be charged for the blank disc if you don't provide your own.

From this month Atari should have available a full 150-page manual giving far greater details of the more technical aspects, and this will cost in the region of £10-£12.

Any disc drives shipped from Atari after July will also contain DOS 2.5 and the full manual. However, if you've already got a disc drive, and you're currently using DOS 3, then you should think very seriously about shifting to 2.5 as soon as you can get your hands on a copy.

I've provided some comparisons between the various DOSs in Table 1. In a future issue of *Atari User*, I'll begin a closer look at how DOS 2.0 and 2.5 work, and how they actually store information.

The icing on the cake is that you can get it free!

Time to load DOS commands	Time to return to Basic	Free memory from Basic (bytes)	Maximum disc capacity (formatted)	Disc capacity after max DOS files written
0	0	28,814	90,752	82,540
7	0	32,274	90,496	80,128
32	9	32,274	90,496	74,368
6	0	32,274	130,048	119,808
12	8	32,274	130,048	114,888
7	0	32,418	129,280	119,188
32	9	32,418	129,280	113,408
Less than 1 sec.	Less than $\frac{1}{2}$ sec.	32,274	129,280 + RAMDISK 83,872	116,016 + RAMDISK 52,736
0	0	30,990	90,496	84,808
0	0	37,134	90,496	78,720

All timings in seconds, with a 1050 drive running single density discs, on a 130XE. Disc capacity after max DOS files have been written, but NOT including various optional DOS files, enhancements, etc. Basic-XL and DOS-XL can use extra memory management to give much more user RAM (normal free memory (no DOS) = 37,902 bytes).

ATARI 400/800
600XL/800XL/130XE 48K

ENGLISH
SOFTWARE

ATARI 400/800
600XL/800XL/130XE 48K

1ST ON MERSEYSIDE FOR ATARI

U.S.
MAGS
&
SOFTWARE

130 XE

NOW AVAILABLE

RELIABLE
MAIL ORDER
SERVICE

- SOFTWARE FROM ALL THE BEST SUPPLIERS, OVER THE COUNTER
- BOOKS & ACCESSORIES
- GAMES, EDUCATION & PROGRAMMING AIDS
- LATE NIGHT OPENING MON-SAT UNTIL 6PM
- SEE IT & TRY IT BEFORE YOU BUY IT •



Microbyte



71, SEAVIEW ROAD WALLASEY



HAVE YOU GOT YOUR COPY OF THE BEST CLUB MAGAZINE IN BRITAIN?

Filled from cover to cover with:

- Galvanising Games
- Tantalising Tutorials
- Mind-boggling Machine Code
- Lotsa Listings
- Topical Tips
- Realistic Reviews



Send a cheque/P.O. for £4.00, made payable to the U.K. Atari Computer Owners Club, for your four issues subscription now. Or send £1.30p (which includes P&P) for a sample copy, to see what the magazine offers.

Don't delay do it today!!

THE U.K. ATARI COMPUTER OWNERS CLUB
P.O. Box 3, Rayleigh, Essex.

Independent User Group

ONE of the first things you have to think of when you log onto Telecom Gold is a password. The trouble is that it's not easy thinking of one that's simple to remember yet hard for someone else to guess.

So this month we'll be looking at a program that uses the Atari's string handling capabilities to do our thinking for us.

```

10 GEN PASSWORD GENERATOR
20 REM TREVOR ROBERTS
30 OPEN #1,4,R,"E"
40 DIM PASSWORD$(10):REM SET$(20):REM PICK$(1)
50 PRINT "How many letters?"
60 INPUT NUMBER
70 IF NUMBER<0 OR NUMBER>10 THEN GOTO 50
80 SET$="ABCDEFGHIJKLMNOPQRSTUVWXYZ"
90 FOR LOOP=1 TO NUMBER
100 GOSUB 200
110 NEXT LOOP
120 PRINT :PRINT "ONE POSSIBILITY IS "
130 PASSWORD$
140 GOSUB 300
150 IF FINISH=1 THEN GOTO 80
160 PRINT :PRINT "Your choice is "
170 PASSWORD$
180 END
200 REM PICKS ONE LETTER FROM SET$
210 PICK$=SET$(INT(RND*(26+1)))
220 REM ADDS IT TO GROWING PASSWORD
230 PASSWORD$=LOOP$+PICK$
240 RETURN
300 REM KEYBOARD INPUT
310 PRINT :PRINT "DO YOU LIKE THIS PR
320 NEXT ENTER Y/N"
330 GET #1,ANSWER:IF ANSWER=9 OR ANS
340 NEXT ANSWER=121 OR ANSWER=121 THEN GOTO 1
350 IF ANSWER=9 OR ANSWER=121 THEN FI
360 NEXT
370 RETURN
    
```

Micro Scope

No. 3
Password
provider

- 10,20** These are just REMs telling humans what the program is called and who wrote it.
- 30** Opens the keyboard up as a means of input while the program is running. We'll be using this in the subroutine that starts at line 300.
- 40** Dimensions three string arrays.
- 50,60** Ask for the number of letters you want in the password and store your reply in *NUMBER*.
- 70** An example of what's known as a mugtrap. Here the comparisons make sure that you don't want a password with either a negative number of letters or more than 10. If you do, you're asked again until you give a number that's in range.
- 80** Uses *SETS* to hold the letters that the password will be picked from. Here they are the alphabet. The more cryptically minded could use other selections of letters.
- 90-110** Make up a *FOR . . . NEXT* loop with control variable *LOOP*. This loop cycles once for every letter of the password, calling the subroutine at line 200 each time. The result is a potential password stored in *PASSWORD\$*.
- 120** Displays the putative password.
- 130** Calls the subroutine at line 300. This checks whether or not you like the password. If you don't the program produces another until you're satisfied.
- 140** If the flag variable *FINISH* is not equal to 1 then the *GOTO* sends the program back to pick another password. Notice that *FINISH* hasn't been previously assigned and so initially takes the value 0.
- 150** Displays your final choice.
- 160** The *END* stops the program crashing into the following subroutines.
- 200** The start of the subroutine is labelled with a REM for clarity.
- 210** This randomly slices off one letter from *SETS* and stores the result in *PICK\$*.
- 230** Adds this letter to *PASSWORD\$*.
- 240** RETURNS control to the statement after the *GOSUB*.
- 300** Start of the keyboard routine.
- 310-320** Asks if you like the password and mugtraps the results. If the reply isn't Y, y, N or n the *GOTO* ensures that the user is asked again.
- 330** If the reply was Y or y the flag variable *FINISH* is set to 1. This means that the *GOTO* of line 140 will be ignored and the main loop will come to an end.



HAVE you ever noticed how slow the Atari's power function is? If you haven't try typing **PRINT 1*1*1*1*1*1*1*1*1*1** at the keyboard. Compare this with **PRINT 1+1+1+1+1+1+1+1+1+1**.

The difference in speed is astounding, and caused me to wonder if there is a better way to raise one number to the power of another.

Not surprisingly, there is. In fact the built-in function is so slow that it is possible to write a Basic routine which outperforms it.

Program I illustrates this:

```
20 POWER=1
30 IF PWR THEN GOTO 40
40 P=P*1:POWER=POWER*GOTO 30
```

Program I: Simple power routine for small P

To compare this routine's performance with that of the built-in operator, enter it together with our "test bed" listing, Program IV. Add the following line:

10 GOTO 100

If you now run the program it will print out a table of timing information for the power routines. The times are given in seconds, and are times for 10 iterations.

Note that the times for the built-in function remain fairly constant regardless of the power to which the number is being raised, while the times for the Basic subroutine increase as the power increases.

When the power reaches 14 the built-in operator begins to outperform the subroutine. If you want to try the subroutine out or use it in your programs, it is used as follows. To raise *X* to the power *P* let *X*=number; *P*=power; **GOSUB 20**; *X*=POWER

The POWER be with you

Put your Atari's power calculating capabilities into overdrive with FRANK O'DWYER's routines

where X is the number to be raised
 P is the power to which it is to be raised

POWER is the answer returned by the subroutine at line 20.

Note that P must be a positive integer — 0, 1, 2, 3, 4, 5 and so on.

It is possible to improve upon the performance of the simple routine in Program I by using a squaring technique as follows:

To raise X to the power of 8, write $X = (X^2)^2^2$

To raise X to the power of 5, write $X = (X^2)^2X$

The routine given as Program II applies this technique, and outperforms the built-in function for most medium powers P . Combine Program II along with Program IV and the line 10 shown above as before to obtain timing information.

so on, and will steadily deteriorate as powers increase.

Note also that for some powers, the built-in function outperforms the subroutine. This is not important, since on average powers will be small and the subroutine will outperform the built-in operator, again on average.

This routine is a good all-round performer, and works equally well for small powers of P , as it does for medium powers up to about 24.

A further improvement can be made to the squaring technique by applying it in recursive fashion. To compute X^{10} :

Step 1: Compute X^2

Step 2: Compute X^4

Step 3: Compute X^5

Step 4: Compute product of above results, and multiply by X .

```

20 IF P=0 THEN POWER:=1:GOTO 30
30 POWER:=1:SET=1
40 IF NOT(P&1) THEN PR=0
50 SET:=SET*SET*(POWER-POWER+POWER):GOTO 30
60 IF SET=1 THEN RETURN
70 SET:=SET*SET*(POWER-POWER+POWER):GOTO 30
  
```

Program II: Fast power routine for small to medium P

Note how the squaring technique leads to an improvement in performance for powers of 16 and 32. In fact performance will be best at powers of 0, 1, 2, 4, 8, 16, 32, 64 and

```

20 DIM STACK(255):GOTO 100
30 SP:=1:IF P=0 THEN POWER:=1:RETURN
30 POWER:=1:SET:=1
40 IF NOT(P&1) THEN PR=0
50 SET:=SET*SET*(POWER-POWER+POWER):GOTO 30
60 PR:=SET:IF P&1 THEN STACK(SP):POWER:=SP*(POWER-POWER+POWER):GOTO 30
70 IF PR THEN POWER:=POWER*PR:GOTO 30
80 RETURN
  
```

Program III: Recursive power routine for large P

Program III gives a subroutine to implement this technique, using a

stack to hold intermediate results. Notice that the routine calls itself in line 60. Amazingly, this routine still outperforms the built-in operator despite its complexity and the overhead associated with the stack.

However it does not really begin to outperform the squaring technique until powers of 32 and above are reached. This routine is therefore the best one to use if high values of P are anticipated. Again, combine Program III with Program IV to obtain timing information.

```

100 PRINT "POWER", "TIME", "BASIC TIME"
10000:FOR PP=10 TO 100:PRINT PP,
100 FOR T=0 TO 20:PRINT T, "NEXT T"
100 NEXT T
100 FOR M=1 TO 30:CALL SQUARING:PRINT M,
100 ITERATIONS OF BASIC POWER
100 T:=0:FOR C=0:FOR E=0:FOR M=0:FOR N=0
10000:FOR T=0:PRINT T,
100 FOR T=0 TO 20:PRINT T, "NEXT T"
100 FOR M=1 TO 30:PP:=C+1:GOTO 100
100 (PROGRAM) NEXT M:PRINT 10 ITERATIONS OF 3
100 SUBROUTINE POWER
100 T:=0:FOR C=0:FOR E=0:FOR M=0:FOR N=0
10000:FOR T=0:PRINT T,
100 NEXT PP
100 END
  
```

Program IV: Comparison routine for power subroutines

A useful benefit of each of these subroutines is that apart from increased speed they also bring increased accuracy in comparison to the built-in operator.

Try typing `PRINT 2.2^4` at the keyboard. On some machines the answer given is 3.99999996 instead of 4. The subroutines I give do not suffer from this problem.

Now can anyone come up with routines which work for negative values of power and fractional values, for example X to the power of 2.2?

MIKE BIBBY continues his explanation of the fundamentals of the Atari's workings

AS we have mentioned in previous articles, the Atari — and all other machines based on the 6502 microprocessor — handles its binary numbers in groups of eight bits at a time. Such a group of eight is called a byte.

However, while handling eight bits at a time is satisfactory from the machine's point of view, from the human side of things it's rather difficult to manage. Those 1s and 0s are far too prone to error. Look at Table I for instance. It contains an error — can you find it?

It's all too easy to slip up when handling binary numbers — a single 1 in the wrong place and all is lost! To make things easier to deal with, when I am copying out binary numbers I put a wavy line between bits 3 and 4 to split the byte into two equal groups of four.

For example, if I were copying:

% 10001111 (= 143)

I would write:

% 1000|1111

Actually, splitting the byte into two groups of four bits is standard practice — each group of four bits is called a "nybble", would you believe?

It's not too hard to see that the biggest number you can represent in a nybble is 15, and the smallest is 0.

% 1111 and % 0000

respectively. After all, you've only got four bits to play with!

So we can split up our byte into two nybbles of four bits each. Now when we split up a binary number in this manner we call the left-hand nybble the most significant nybble (MSN) and the right-hand nybble the least significant nybble (LSN).

We have already created one new number system — the binary system.

%10111011 = 187
%10101101 = 173
%10001111 = 151
%11110110 = 248

Table I

Hexadecimally you get two nybbles out of every byte

Let's design another one that combines the advantages of the binary system with those of the hexary. That is, it will be easy to read and write, yet still allow us to perceive the binary manner in which the machine handles things.

The system we want is called hexadecimal. This consists of using our standard digits 0 to 9 for the numbers zero to nine respectively, and the letter A to F for the numbers 10 to 15. In this way it allows us to code the numbers available in a nybble (that is, 0 to 15) with just one digit. This digit will be in the range 0 to 9 or A to F.

It may take a while to adjust to the idea of using letters of the alphabet for numbers, but it soon becomes second nature. You just have to get used to counting:

0,1,2,3,4,5,6,7,8,9,A,B,C,D,E,F

Remember, there are 8 people in a cricket team, 11 in a rugby league team and 15 in a rugby union team. There are 12 months in a year, and 7 days in a fortnight.

Now just as we prefix all our binary numbers with %, we prefix our hexadecimal numbers with \$, to avoid confusion. So \$F means 15, while \$9 means 9.

Studying Table II will really pay dividends — I suggest you practise writing down bit patterns of nybbles and their hexadecimal equivalents

until it becomes second nature.

Given that we can encode a nybble in one hexadecimal digit, and that a byte consists of two nybbles, it should readily be apparent that we can encode a byte as two hexadecimal digits side by side, for example:



That is:

%10101001 = \$A9 = 169

You just split the byte up into two

Decimal	Binary	Hexadecimal
0	0000	0
1	0001	1
2	0010	2
3	0011	3
4	0100	4
5	0101	5
6	0110	6
7	0111	7
8	1000	8
9	1001	9
10	1010	A
11	1011	B
12	1100	C
13	1101	D
14	1110	E
15	1111	F

Table II

Speaking, bbles te

on the two digit, that is, two column, hexadecimal number, as these are all we need to store our bytes in. In this case the left-hand column is the "sixteens" column, the right hand the units column.

So:

$$\begin{aligned} 16 \ 1 \\ \$ \ 2 \ 1 &= 2 \times 16 + 1 = 33 \\ 16 \ 1 \\ \$ \ 2 \ D &= 2 \times 16 + 13 = 45 \\ 16 \ 1 \\ \$ \ 8 \ 0 &= 8 \times 16 + 0 = 128 \\ 16 \ 1 \\ \$ \ C \ 0 &= 12 \times 16 + 0 = 192 \end{aligned}$$

To translate a two digit hexadecimal number into denary simply multiply the number in the left-hand column by 16 and add it to the number in the right-hand column - remembering to translate A to F if necessary.

The second column has the value 16 since the first column can only handle numbers up to 15 (\$F) - the largest you can fit into a nybble (%1111). After 15, you have to use a second column for 16, that is \$10.

Just as in denary, we "carry" at 10 since the largest value our columns can handle is 9, so in hexadecimal we carry at 16, since the largest our columns can handle is 15 (\$F).

It is the fact that we carry at 16 that gives this number system its name "hexadecimal" - here "hex" stands for 6, "decimal" for ten. "Hexadecimal" = 6 + 10 = 16.

Given a second column \$10, as we have seen is 16, 17 will be \$11, while \$12 is 18 and so on until we reach 31, which is \$1F.

We have then run out of legal digits for the units column, so if we went to go on to 32 we had better give ourselves another 16, and set the units column back to zero, that is \$20.

Another way of looking at the second column is that it comes from the most significant nybble. To turn the least significant nybble into the

most significant nybble, we have to shift it over to the left four times.

If you cast your mind back to last month, this is equivalent to multiplying it by two four times in succession, that is $2 \times 2 \times 2 \times 2 = 16$. This is why a hexadecimal digit representing the most significant nybble is 16 times larger than the same digit representing the least significant nybble.

The largest number you can store in a two-digit hexadecimal number is \$FF = $15 \times 16 + 15 = 255$. This is, of course, the same as the largest number we could store in a binary byte - we often refer to a two digit hexadecimal number simply as a byte.

To obtain the hexadecimal equivalent of a positive integer (whole number) less than 256, we divide it by 16. The quotient is the left hand digit, the remainder the right hand, translating into A to F where necessary.

For example:

$$174 \div 16 = 10 \text{ R } 14$$

That is:

\$A R \$E

Hence **174=\$AE**

Anyway, here's a program that will convert from denary to hexadecimal for you. The workings shouldn't be too hard to follow.

Once you've understood it, how about writing one that will convert from hexadecimal to denary?

● *That's all for now. Next month we'll be looking at ways of combining binary numbers.*

```

10 REM DENARY TO HEX
20 DIM HEX$(3), ANSWER(12)
30 NEXT HEX$
40 PRINT "ENTER C (0 = 255)";
50 INPUT NUMBER
60 IF NUMBER > 255 THEN GOTO 40
70 IF NOT NUMBER < 160
80 THEN NUMBER = 256 - NUMBER
90 ANSWER(0) = HEX$(NUMBER)
100 ANSWER(1) = HEX$(NUMBER / 16)
110 PRINT ANSWER
120 GOTO 40

```

Program 1

nybbles - a left hand and a right hand nybble, encode each as a hexadecimal number, then put the two side by side.

You can go from hexadecimal to binary just as easily:



That is:

$$\$8D = \% 10001101 = 141$$

Although you have probably never thought of it in these terms, you are well aware that the value a digit represents depends on the column it is in. The number 230 is not as large as 320, though both numbers contain the same digits.

In hexadecimal coding too the column a digit is in is important. For example, \$10 is far greater than \$01. In binary each column is worth twice the preceding one. In denary, our usual number system, each column is worth 10 times the preceding one. In hexadecimal, each column is worth 16 times the preceding one.

Believe it or not, the columns in a four digit hexadecimal number, from greatest to least, are worth 4096, 256, 16 and 1 respectively.

This means that:

$$\$ 1101 = 4096 + 256 + 1 = 4353$$

For the moment let's concentrate

VARIABLES

S(n,n)	Matrix of treasure map.	DX,DY	Amount of movement.
DL	Start of display list.	TX,TY	Position of treasure.
S	Joyystick position.	CHSET	Location of start of internal character set.
X,Y	Old position of man.	RAMTOP	Top of memory.
X1,Y1	New position of man.	CH	Location of new character set.

PROGRAM MAP

PROGRAM MAP	
10	Sets up graphics. Change Line 1 to Graphics 2.
25	Sets colours.
100-190	Main movement routine.
100-140	Read stick and trigger.
107	Sound of men moving.
150-160	Calculate new position.
170	Saves contents of square and moves man.
190	And again!
500-585	If button pressed search square.
505	Increment attempts.
510	Go to relevant line depending on type of square.
520	Empty square.
530	Number square.
540	Arrow square.
550	? square.
560	Treasure!
600-660	Bomb routine.
695	New position for treasure.
800-906	Treasure found routine.
830-850	Music playing routine.
900-906	Music data.
1000-2100	Initialise.
1010	Calculates new memory location for redefined characters.
1020	Reads redefined characters.
1030	Moves part of old character set to RAM.
1100-1140	Character data.
2010	Prevents screen colour from cycling.
2020-2070	Random calculation of position of each type of square.
3000	Explosion sound routine.

```

050 50000,0,10,10:50000,1,0,10,0:FOR
1:1 TO 1000:NEXT I:50000,0,0,0:5000
1,0,0,0:5000 040
000 IF STING(0)=1 THEN 000
070 GOTO 10
500 DATA 121,193,2,60,102,4,60,144,4,0
0,121,2,70,121,4,02,121,4,91,102,4,91,
144,0,91,0,2,102,0,1,91,144,4
991 DATA 121,144,4,102,144,2,91,144,4,
51,144,14,0,104,2,91,102,2
102 DATA 00,102,4,00,144,4,00,121,2,70
,121,4,01,121,4,91,102,4,91,144,0,91,0,
2,102,0,1,91,144,4
991 DATA 121,144,4,102,144,2,91,144,4,
51,144,14,0,104,2,91,102,2
104 DATA 00,242,4,00,120,4,00,96,4,00,
96,4,00,120,2,00,136,4,76,152,0,100,4,
2,76,100,4,121,0,2
905 DATA 00,120,2,00,120,1,00,103,4,00
,103,2,70,103,4,91,144,10
906 DATA -1,-1,-1
1000 READ NEXT CHARACTER SET
1100 C=SET-57144:POINT=PEEK(106):C=C-
WYOT-0:C=BASE+C*WY50:POINT=750,C
1015 IF PEEK(C*BASE+0)=255 THEN RETURN
1200 RETURN 1100:FOR I=C*BASE+0 TO C*
BASE+10:DATA A:POINT I:A=NEXT I

```

```

0030 FOR I=100 TO 475:POKE CHR$(I),PE
ERIC$SET=I:NEXT I
1050 RETURN
1100 GOTO 205,120,120,120,120,120,120,120,
120,0,102,102,102,0,0,0,0,24,60,120,
24,24,24,0
1110 DATA 0,24,24,24,120,60,0,0,0,10,
40,120,120,60,10,0,0,0,12,120,120,120,
0,0
1120 DATA 205,195,217,242,221,225,228,
229,24,24,0,24,30,60,0,0,24,24,10,24,
28,20,18,24
1130 DATA 24,24,0,60,70,24,24,60,0,21,
02,65,205,125,121,254,4,0,10,24,60,120,
120,60
1140 DATA 0,120,64,60,64,60,60,120,0,4
0,60,120,0,120,60,60
2000 DIM UNITALSE VOLUME$
2010 POKE 77,0
2020 FOR I=1 TO 10:FOR J=1 TO 20:LET J
J=I:NEXT J:NEXT I
2030 FOR I=1 TO 70:LET UNIFORM$(I)=I*13:
V=INT(CHR$(I)*20+13)*50,P1=I:NEXT I
2040 FOR I=1 TO 10:LET UNIFORM$(I)=I*13:
V=INT(CHR$(I)*20+13)*50,P2=I:NEXT I
2050 FOR I=1 TO 50:LET UNIFORM$(I)=I*13:
V=INT(CHR$(I)*20+13)*50,P3=I:NEXT I

```

[illegible]

Tired of typing?
Take advantage of our
e-saving offer on Page 41.

The great adventure has begun...

WHEN we launched MicroLink we naturally expected it to generate quite a large degree of interest among micro enthusiasts. What we didn't expect was what actually happened – a stampede of applications to join.

They poured in from all parts of Britain, and even more surprisingly from places as far away as Tasmania.

What has attracted them to MicroLink?

For the computer buff it's the thought of joining one big family of like-minded enthusiasts. Through the Chat facility he can "talk" in real time to people who are using the same micro as himself, discussing common problems and sharing hints and tips.

And as MicroLink is part of Telecom Gold and Dialcom – the largest electronic mail service in the world – he can also communicate speedily and cheaply with other enthusiasts in many other countries.

For the businessman, MicroLink immediately provides an office tool that he might not have been able to afford before. At his fingertips are the same facilities that are enjoyed by every leading British business – all of whom are subscribers to Telecom Gold.

For a once-only payment of £10 he can turn his micro into a telex machine—which normally would cost him £2,000. He can send a telex message for as little as 5.5p, and even that is reduced by 10 per cent if he defers transmission until after 8pm. His micro can also become a terminal to the Telecom Gold

computer, able to tap its tremendous power and versatility and to use giant number-crunching programs that can only be run on a mainframe.

No longer need he be tied to his office. He can use his micro from home — or golf club. And if he's not too confident about his spelling he can run his letter or telex message through the sophisticated Spell program before sending it off.

One of the many advantages of an online service like MicroLink is its flexibility — its ability to cope quickly with changing needs.

Although it is only a few weeks old, new sections are being continually introduced to provide users with an even more comprehensive service. Among the latest are a definitive guide to all UK bulletin boards, which can be updated daily as new boards open up, or phone numbers or hours of access change.

And there's a review of the computer magazines, so you can see what subjects are being covered in their current issues.

Finally, why should the Tasmanians, of all people, want to join MicroLink? As they live right on the other side of the world, won't it cost a fortune to communicate with the UK?

Not so. Because Tasmanis is part of the International PSS network, instead of paying the normal telephone call rate of 96p a minute, they can call Microlink over PSS for just 10p a minute.

For callers in Europe it's even cheaper – just 2.2p a minute. With incentives like this, we expect MicroLink to grow into a truly international service.

NEED MORE?

PAGE 6

**TWO
YEARS OLD
AND
STILL GOING STRONG**

Published
bi-monthly
Subscriptions:
£7.00 U.K.
£10.50 Europe
to PAGE 6 Magazine
P.O. BOX 54,
STAFFORD,
ST16 1DR
Tel 0785 41153

Our Guarantee: Subscribe NOW! If when you receive your first copy you do not think **PAGE 6** is worth having, write and tell us and we will refund your subscription in full (you can keep the copy received). With a promise like that we must be confident that **PAGE 6** is good. Thousands of our existing subscribers think so, too.

■ WOOTTON COMPUTERS

SCOTT 8420 Computer	C\$8895	PERA	Per Term
2560K 5 1/2" Disk Drive 300K	08895.00		
128 MB 128K Computer	\$189.95	754-0401	
80801-18 Computer	\$175.00		
80801-18 Monitor	\$34.15		
80801-18 Keyboard	\$108.20		
80801-18 CPU + 200K			
80801-18 340K mem. + Inst. Prog.			
+ 16K mem. + 8 Disk 5 1/2" Diskette			\$129.95
80801-18 520K Disk Drive + 400K 5 1/2" Diskette	\$149.95	340-0000	
C.S. PROGRAMS			
MS-DOS 2.00	\$348.00		
MS-DOS 3.00	249.00		
MS-DOS 3.10			
MS-DOS 3.20			
MS-DOS 3.30			
MS-DOS 3.40			
MS-DOS 3.50			
MS-DOS 3.60			
MS-DOS 3.70			
MS-DOS 3.80			
MS-DOS 3.90			
MS-DOS 4.00			
MS-DOS 4.10			
MS-DOS 4.20			
MS-DOS 4.30			
MS-DOS 4.40			
MS-DOS 4.50			
MS-DOS 4.60			
MS-DOS 4.70			
MS-DOS 4.80			
MS-DOS 4.90			
MS-DOS 5.00			
MS-DOS 5.10			
MS-DOS 5.20			
MS-DOS 5.30			
MS-DOS 5.40			
MS-DOS 5.50			
MS-DOS 5.60			
MS-DOS 5.70			
MS-DOS 5.80			
MS-DOS 5.90			
MS-DOS 6.00			
MS-DOS 6.10			
MS-DOS 6.20			
MS-DOS 6.30			
MS-DOS 6.40			
MS-DOS 6.50			
MS-DOS 6.60			
MS-DOS 6.70			
MS-DOS 6.80			
MS-DOS 6.90			
MS-DOS 7.00			
MS-DOS 7.10			
MS-DOS 7.20			
MS-DOS 7.30			
MS-DOS 7.40			
MS-DOS 7.50			
MS-DOS 7.60			
MS-DOS 7.70			
MS-DOS 7.80			
MS-DOS 7.90			
MS-DOS 8.00			
MS-DOS 8.10			
MS-DOS 8.20			
MS-DOS 8.30			
MS-DOS 8.40			
MS-DOS 8.50			
MS-DOS 8.60			
MS-DOS 8.70			
MS-DOS 8.80			
MS-DOS 8.90			
MS-DOS 9.00			
MS-DOS 9.10			
MS-DOS 9.20			
MS-DOS 9.30			
MS-DOS 9.40			
MS-DOS 9.50			
MS-DOS 9.60			
MS-DOS 9.70			
MS-DOS 9.80			
MS-DOS 9.90			
MS-DOS 10.00			
MS-DOS 10.10			
MS-DOS 10.20			
MS-DOS 10.30			
MS-DOS 10.40			
MS-DOS 10.50			
MS-DOS 10.60			
MS-DOS 10.70			
MS-DOS 10.80			
MS-DOS 10.90			
MS-DOS 11.00			
MS-DOS 11.10			
MS-DOS 11.20			
MS-DOS 11.30			
MS-DOS 11.40			
MS-DOS 11.50			
MS-DOS 11.60			
MS-DOS 11.70			
MS-DOS 11.80			
MS-DOS 11.90			
MS-DOS 12.00			
MS-DOS 12.10			
MS-DOS 12.20			
MS-DOS 12.30			
MS-DOS 12.40			
MS-DOS 12.50			
MS-DOS 12.60			
MS-DOS 12.70			
MS-DOS 12.80			
MS-DOS 12.90			
MS-DOS 13.00			
MS-DOS 13.10			
MS-DOS 13.20			
MS-DOS 13.30			
MS-DOS 13.40			
MS-DOS 13.50			
MS-DOS 13.60			
MS-DOS 13.70			
MS-DOS 13.80			
MS-DOS 13.90			
MS-DOS 14.00			
MS-DOS 14.10			</


your data could not be loaded. Check Network (11/11)

All rights reserved. All prices are in US dollars unless otherwise indicated.

116 EDLESTON ROAD, CREWE
CHESHIRE. 0279-214118

MicroLink

in association with

TELECOM GOLD


MicroLink is this year's most exciting – as well as most ambitious – development in the rapidly-expanding world of telecomputing.

For the first time, it combines the enthusiasm of many thousands of computer users with the power and versatility of Britain's national database, Telecom Gold.

The result is an international communications link that is your passport to new realms waiting to be explored, new experiences to be shared with kindred spirits who enjoy telecomputing just as much as you do yourself.

Communicating the MicroLink way is ultra-fast – and much cheaper than you might expect. Wherever you live, you get direct access to the Telecom Gold computer at local call rates.

With your own electronic mailbox you can send a message to one destination – or to 500! – for less than you would pay for a first class stamp.

You can send and receive telex messages worldwide, or have a two-way chat with other users in real time.

And the cost of using MicroLink? Just £3 a month. Plus small additional access charges as detailed overleaf.

Join MicroLink now – and let you and your Atari be in the forefront of the new revolution in communications!

These are some of the innovative features
you'll be able to use when you join . . .

MicroLink

What facilities you can use – directly from your micro:

- Access at any hour of the day or night to Microsearch, our exclusive product locator, which is constantly updated by Britain's major distributors. Powerful, easy-to-use keyword searching means you should find what you want within seconds.
- Direct contact, via electronic mail, with other users throughout the world. And because you're connected via PSS, and not the normal phone links, it's usually much, much cheaper.
- Full use of the closed user group bulletin board – with a special section for Atari users.
- Full service of news about new products and events. All presented in easy-to-read form to keep you right up to date with what is happening in the world of microcomputing and communications.
- Send and receive mailbox messages of any length with other Telecom Gold mailbox users, the number of which is rapidly growing.
- Send and receive telex messages, both within Britain and all over the world.
- Send telex messages to any address in the UK. If sent before 10pm they will get guaranteed delivery the next working day, including Saturday (This service commences shortly.)
- If you live outside the 01- local call area, use of PSS at local phone call charges, including access to the international Dialcom system. (This covers nearly 90 per cent of the population of the UK.)
- Use, should you require it, of the Telecom Gold mainframe for storage of your own data.
- Encouragement to combine with friends or colleagues to set up your own closed user group within MicroLink.
- Provision of free telesoftware, which you can download into your Atari.

What you will receive when you join MicroLink:

- Free registration on Telecom Gold – and your own private mailbox.
- Free password, which you can change at any time you like. This gives you a high level of security in order to preserve confidentiality, and is known only to you.
- Free instructional manual to introduce you to Telecom Gold and its many services.
- Free Help facility should you require additional assistance.
- Free newsletter to keep you informed of future developments in this ever-expanding service.

What you need to access MicroLink:

- Any personal computer, portable computer, hand-held device or electronic typewriter with communications facilities.
- Appropriate communications software.
- Modem (you can use 300/300, 1200/75 or 1200/1200 baud as you wish).

What will it cost?

- Monthly standing charge of £3 (compared to Telecom Gold's normal £10 a month minimum charge).
- Connect charges: 3.5p a minute (cheap rate); 10.5p a minute (standard rate). Plus 2p a minute PSS charge if calling from outside the 01- call area.
- Once-only telex registration fee (if required): £10.
- Outgoing telex: 5.5p per 100 characters (UK), 11p (Europe) and 16.5p (USA).
- Incoming telex: 50p.
- International mail: 30p for first 2,048 characters, then 15p for each additional 1,024 characters.
- Telex messages: £1.25 for a maximum of 350 words or 35 single spaced lines.
- On-line databases on Telecom Gold: charges as indicated at time of log on.

To secure your immediate registration, complete the form opposite and return it to:
MicroLink, Europa House, 68 Chester Road, Hazel Grove, Stockport SK7 5NY.

Name

Position

Company

Address

Postcode Daytime telephone

Commencement of Service

Please indicate month of commencement
Please allow 10 days for validation of mailbox

19

Payment

Whilst Database Publications Ltd is the supplier of all the services to you, the commission and billing thereof will be handled by Telecom Gold as agents for Database Publications Ltd. Date of first payment to be on 15th of month following commencement. Please complete billing authorization form A, B or C below.

A. Direct Debiting Mandate (Enter full postal address of Bank Branch)

To

I/We authorize you until further notice in writing to charge to my/our account with you on or immediately after 15th day of each month unspecified amounts which may be debited thereto at the instance of British Telecommunications plc - TELECOM GOLD by Direct Debit.

Name of Account to be debited

Account Number

B. Please debit my/our

Accoun/Visa/American Express

account number

I/We authorize you until further notice in writing to charge to my/our account with you on or immediately after 15th day of each month unspecified amounts which may be debited thereto at the instance of British Telecommunications plc - TELECOM GOLD

C. Please invoice the company/authority.

☐ I/We you select this option, which is ONLY AVAILABLE to government establishments and public limited companies, you will be sent an authorization form for completion which will require an official order number to accept unspecified amounts.

MicroLink

In association with

TELECOM GOLD

Application Form

Terms and conditions: I/We have read and accepted the terms and conditions as set out on this document and hereby apply to join MicroLink.

- ☐ I wish to use Telex. I authorize you to charge an additional £10 to my initial bill.
☐ I confirm that I am over 18 years of age.

Signature

Date

- ☐ I enclose my cheque for £5 payable to Database Publications as registration fee to MicroLink.

I intend to use the following computer

SEND TO:
MicroLink
Database Publications
Europe House
68 Chester Road
Hazel Grove
Stockport SK7 5NY.

FOR OFFICE USE ONLY:

Mailbox assigned

Start date

Password

* Telecom Gold is a trademark of British Telecommunications plc.

BT

How much it costs to use MicroLink

Initial registration fee: £5.

Standing charge: £3 per calendar month or part.

Connect charge: 35p per minute or part - cheap rate; 10.5p per minute or part - standard rate.

Applicable for duration of connection to the Service. Minimum charge: 1 minute

Cheap rate is from 7pm to 8am, Monday to Friday, all day Saturday and Sunday and public holidays; Standard rate is from 8am to 7pm, Monday to Friday, excluding public holidays

Filing charge: 20p per unit of 2,048 characters a month.

Applicable for storage of information, such a telex, short codes and mail files. The number of units used is an average calculated by reference to a daily sample

Information databases: Various.

Any charges are shown to you before you obtain access to the database.

MicroLink PSS service: 2p per minute or part (300 baud); 25p per minute or part (1200 baud).

Only applies to users outside the 01-London call area.

MicroSearch, news service, bulletin board and similar sections of MicroLink: No charge.

Telex registration: £10.

Outgoing telex: 5.5p per 100 characters (UK), 11p per 100 (Europe), 16.5p per 100 (N. America); £1.15 per 40 (Rest of world); £2.75 per 40 (Ships at sea). Deferred messages sent on the night service are subject to a 10 per cent discount.

Incoming telex: 50p for each correctly addressed telex delivered to your mailbox. Obtaining a mailbox reference from the sender incurs a further charge of 50p.

It is not possible to deliver a telex without a mailbox reference. If a telex is received without a mailbox reference the sender will be advised of non-delivery and asked to provide a mailbox address.

Each user validated for telex and using the facility will incur a charge of 6 storage units a month. Further storage charges could be incurred depending on the amount of telex storage and the use made of short code and message file facilities.

Telemessages: £1.25 for up to 350 words.

Radiopaging: No charge.

If you have a BT Radiopager you can be paged automatically whenever a message is waiting in your mailbox.

International Mail: For the first 2,048 characters - 20p to Germany and Denmark; 30p to USA, Australia, Canada, Singapore, Hong Kong and Israel. For additional 1,024 characters - 10p; 15p.

These charges relate to the transmission of information by the Dicom service to other Dicom services outside the UK and the Isle of Man. Multiple copies to addresses on the same system host incur only one transmission charge.

Billing and Payment: All charges quoted are exclusive of VAT. Currently all bills are rendered monthly.

On receipt of this application form you will be sent:

- Your personal mailbox number and initial password
- A Quick Guide to Mail manual
- Customer Helpline telephone number

This contract is made between Database Publications Ltd, of Europa House, 68 Chester Road, Hazel Grove, Stockport SK7 5NY (DPL) and the subscriber whose name and address appears opposite.

Whereas DPL has agreed with British Telecommunications plc (BT) through its agent Telecom Gold Limited to sell and distribute the MicroLink Service (the Service) and BT through Telecom Gold Limited has agreed to supply the Service to customers of DPL.

It is agreed as follows.

- 1 Access
DPL shall make to the subscriber such user codes (called mailbox numbers) as it thinks fit in order to allow the Subscriber and persons associated with the subscriber access to use the Service.
- 2 The Service
The Service shall be BT's Telecom Gold Dalcorn Service, and shall comprise such services and facilities as DPL shall in its discretion from time to time consider appropriate subject to the supply by BT of such services and facilities.
- 3 Charges
a) The subscriber shall pay for all charges arising under this contract from his subscription to and/or use of the Service, and/or from the issue to him of any mailbox number issued by DPL, to the Subscriber. All charges are payable on demand.
b) DPL shall give to the Subscriber not less than fourteen days written notice of any alteration in the applicable charges for the Service. The charges applicable at the date of the Subscription are set out opposite.
c) Subject to any provision of this contract, liability for charges for service shall commence, unless BT notifies the customer in due company, with effect from the first day of the month in which BT first makes service available to the customer.
- 4 Limitations on use
a) The Subscriber shall not use, or permit any person to use the Service otherwise than according to instructions given by DPL or BT, relating to the time being and in particular shall not use the Service for the purpose of sending abusive, offensive, indecent or menacing communications, or for sending communications which cause annoyance, inconvenience or needless anxiety.
b) The Subscriber shall not permit any person to use the Service by means of a mailbox number issued by DPL, unless the name and relationship of that person to the Subscriber has been disclosed to DPL.
- 5 Termination
a) The contract may be terminated by either party giving not less than one month's written notice, such notice to expire on the last day of any calendar month.
b) DPL may terminate this contract forthwith without notice if the Subscriber shall:
i) fail to pay any sum payable under this contract or payable under any other contract with DPL, in which the Subscriber is a party;
ii) be adjudged bankrupt, enter into liquidation or any arrangement or composition with his creditors, or if a receiver is appointed of any part of the Subscriber's assets and not discharged within seven days; or if any judgment against the Subscriber remains unsatisfied for more than seven days;
iii) fail to comply with any terms of this contract, or any instruction given by DPL, or BT under clause 4 a) of this contract.
c) DPL may terminate this contract without notice in the event that BT and/or its agent Telecom Gold shall cease to supply the Service.
d) If the customer fails to comply with any provision of this contract he shall nevertheless continue to be liable for all charges due and to become due for service provided during any period of such failure.
- 6 Assignment
The subscriber shall not, without the written consent of DPL, assign this contract, or any rights or obligations arising under this contract.
- 7 Limitation of liability
a) For the avoidance of doubt neither DPL nor BT has an obligation duty or liability in contract, tort, tortiousness of statutory duty or otherwise beyond that of a duty to exercise reasonable skill and care.
b) In any event in no circumstances shall either DPL or BT be liable in contract, tort (including negligence or breach of statutory duty) or otherwise for loss (whether direct or indirect) of profits, business, or anticipated savings or for any indirect consequential loss whatever.
c) In any event DPL's liability in contract, tort (including negligence or breach of statutory duty) or otherwise arising by reason of or in connection with this contract or howsoever otherwise shall be limited to £500,000 for any one incident or series of incidents and £1m for any series of incidents related or unrelated in any period of 12 months.
d) DPL does not exclude or restrict its liability for death or personal injury where such action as a result of the negligence of DPL, or its employees.
e) The Subscriber shall indemnify DPL, against all loss, actions, proceedings, costs, claims and damages arising from:
i) any breach by the Subscriber of his obligations hereunder;
ii) the use of the Service by third parties by means of any mailbox number issued to the Subscriber.
f) DPL shall not be liable for any loss or damage occurring through any act or omission of BT or its agent Telecom Gold Limited in the supply or failure to supply the Service to DPL. Notwithstanding anything to the contrary contained herein the supply of the Dalcorn service shall be upon and subject to the standard terms and conditions of BT from time to time and of which the subscriber shall be deemed to be aware.
g) Neither party shall be liable for failure to perform its obligations if the failure results from Act of God, Act of Government or other Authority or Statutory and/or seismic, fire, explosion, accident, power failure, industrial dispute, inability to obtain materials or anything beyond each party's reasonable control.
h) DPL accept liability hereunder for direct loss caused to the subscriber where such loss arises solely due to acts or omissions of DPL, or its employees in the provision of access to the service up to an aggregate maximum of £1,000 or a sum equal to one month's average service charges to the subscriber over the previous 12 months' period, whichever is smaller. Save as otherwise provided herein, DPL shall be under no liability for any loss suffered by the subscriber or by any other person acting from negligence or otherwise.
- 8 Any dispute or consent or other course of action required to be given hereunder by either party to the other, shall be made in writing and may be served by first class post to the address of the other as set out herein, and shall be deemed to have been received 48 hours from the time of posting.
- 9 This agreement constitutes the entire agreement between the Subscriber and DPL in respect of the Service, and no representation, statement, warranty or condition not expressly contained in this agreement or incorporated herein by reference, shall be binding upon DPL as a warranty or otherwise.
- 10 This agreement shall be governed and construed in accordance with the law of England, and the English Courts shall have exclusive jurisdiction to determine any disputes arising hereunder.

A money-saving special offer from

**ATARI
USER**

THIS

**is your
passport
into the**

exciting world of telecomputing!



Price includes VAT, post & packing

ITS by far the fastest growing field in micro-computing. All over the world micros are talking to each other over the telephone line. As well as to the ever-increasing number of public and private databases, bulletin boards – and even giant mainframe computers.

We want all Atari User readers to share in the new technology that makes all this possible. So we're offering a unique starter pack at an unbeatable price. It gives you everything you need to get in touch with the big wide world outside:

- **Modem**
- **Software**
- **Serial Interface**

The modem is the amazing Miracle Technology WS2000. One of the most powerful on the market, it provides all the facilities you require. Yet it's simplicity itself to use. Just plug it into a standard British Telecom jack and you're away!

The package also features the superb Datari serial interface, which links the modem directly to the Atari's peripheral port without the need for the 850 serial interface.

The best hardware deserves the best

software to drive it, and with the specially written Multi-Viewterm program the package is complete. It supports all the standard baud rates – 1200/75, 75/1200, 1200/1200 and 300/300 full duplex.

Your Atari User package will allow you to talk directly to other computers, to send your own telex messages, to go tele-shopping – even to download free software programs directly into your Atari.

You will be able to join Micronet/Prestel, which will immediately open up to you a vast menu of 750,000 pages of information – instant world news, sports, holidays, hotels, train and airline timetables, all regularly updated.

And you can become one of a growing number of enthusiasts who are joining MicroLink, the giant database set up in conjunction with Telecom Gold, which is described more fully in this issue.

But first, send for the Miracle package – and enter the fascinating, limitless world of communications!

Use the order form on Page 61



Go Space-hopping with your Atari – plus a little help from TeleLink

TeleLink, Britain's pioneering communications magazine, is full of helpful advice about all the fascinating things you can do when you link your Atari to your telephone.

In the latest issue, now on sale, are special features on . . .

- How to cut down your phone bill: Taking the mystery out of the phone charging system
- Start of a guided tour of the massive American database, Knowledge Index
- Telecom Gold: What it is, what it does, and how much it can cost
- Round-up of all the latest advances in the development of databases for schools.

- Facts and phone numbers of all the latest UK business boards
- Why PSS is the most economical way of accessing systems all over the world
- Communicating with a portable: a detailed survey of all the latest lap-held micros
- Guide to the latest telesoftware you can download from Prestel
- Pages of up-to-the-minute news of happenings in the teletext and videodata industries
- Setting up a videodata system: a first-hand report of how it's done
- Communications in the City: a look at what can happen when financiers go on-line.

ORDER FORM

Subscription for 12 issues

UK £12 ☐ 5001
 ERM £13 (inc £16) ☐ 5002
 Overseas (Surface) £20 ☐ 5003
 Overseas (Airmail) £40 ☐ 5004

Payment, please indicate method (✓)

☐ Access/Mastercard/Eurocard/Barclaycard/Visa

No. _____

☐ Cheque/PO made payable to Database Publications Ltd

Name _____ Signed _____

Address _____

Send to: TeleLink, FREEPOST, Europa House,
 68 Chester Road, Hazel Grove, Stockport SK7 5NY.
 (No stamp needed if posted in UK) Please allow 28 days for delivery.

YOU CAN ALSO ORDER BY PHONE: 061-480 0171 (24 hours)

Don't forget to quote your credit card number and full address.

TeleLink deliberately
 steers away from
 technicalities to present
 the facts in vivid detail –
 to help you play YOUR
 individual part in the
 communications
 revolution that is going
 to change all our lives.



In the first issue of Atari User you explained how to disable the Break key in a Basic program.

Is it possible to disable the Reset key in the same way, so that a Basic program cannot be listed?

Next, if you PEEK(53279) you can use the Select, Option, and Start keys. I know the codes for those three, but is there one for the Help key?

Finally, I am writing a Basic program using the NOTE and POINT commands.

I know that it is possible to take one byte off a disc file and look at it.

Is it possible to then change the information in that byte and replace it in the same place in the same file without changing any of the other bytes in that file? If so, how? — A.K. Bishop, Cheehunt, Herts.

● Location 732 (\$2DC) is updated each time the Help key is pressed. The values obtained are as follows:

```
17 = HELP only
81 = <Shift> HELP
145 = <Ctrl> HELP
```

The operating system will not clear the value for you, so it will remain in location 732 until you POKE it to zero, or the Help key is pressed in a different combination.

To change single bytes within a disc file you must first

HELP NEEDED ON HELP KEY CODE

```
10 OPEN #1,12,8,"B:Filename.Ext":REN 0
20 TRAP 100:REN 0# End-Of-File gets 11
30 NOTE #1,0,0:REN 0# Note position
40 GET #1,0:REN 0# Get byte
50 IF #1 THEN POINT #1,0,0:PUT #1,2:R
60 NOTE 30:REN 0# Get another byte
70 CLOSE #1:REN 0# Close file
80 END
```

open the file for update, with

```
10 OPEN #1,12,0,"B:
Filename.Ext"
```

This will set up the file ready to read the first byte of data. You may now PUT or GET bytes as you wish. If you PUT bytes they will overwrite the existing data.

So if you want to read a byte then change it, NOTE the file position first, then GET the byte.

If it is a byte you wish to change, POINT yourself back again, and PUT your new data. For example, the program above will change all bytes in a file with a value of 1 to a value of 2.

This method will work with DOS 2 or 3, as it uses absolute, rather than relative, addressing.

Don't try to exceed the end

of the file using this method, as Append mode is the only way to do this.

For an answer to your question on Reset protection, see next month's issue, where there will be an article on protecting your Basic programs from prying eyes.

FOR the use of readers like me who prefer joysticks to keyboard control, I have changed these program lines in Attack Squash in the first issue of Atari User to:

```
1010 SUSTENT00
1040 IF 517 AND R(16)
1050 THEN GOTO 1200
1050 IF 511 AND R(1)
1060 THEN GOTO 1250
```

Once you have changed these lines, you will find that you will be able to use a joystick. I also have a question:

Is it possible to disable the Reset button, if so, is there a program or a POKE command for the XL series? I would be very grateful if you could help me. — Tim Knate, Bracknell, Berks.

● Yes, the Reset key can be disabled. See the reply to Mr Bishop above.

Squash swap

HAVING typed the Attack Squash listing from Atari User into my BOOXL I suddenly realised that there is very little that bore me more than a good game of squash, so I set about converting this program to something more interesting.

The listing below if added to the Attack Squash listing will produce a Breakout type game that I feel is perhaps a wee bit more interesting.

As in the Squash program, every time a ball is hit the bat moves up one line.

Each brick of the breakout wall must be hit twice to demolish it. First hit scores one point and the second hit scores a further two points.

There are no points awarded for hitting the ball with the bat, which means there is a maximum score of 324.

After the brick is hit for the first time it changes from a hollow rectangle to a solid rectangle, and after the second time a brick has been hit it disappears.

The bat controls are just the

Keep your guitar in tune

I AM writing to say how pleased I am with your new magazine. It really is nice to see Atari coming back on top where it deserves.

I enclose a little program which I find quite useful when I check the pitch of my guitar

from time to time, and also when I re-string it.

I am sure many readers own a guitar but perhaps do not own a tuner or pipe. This little routine does help to keep you in concert pitch.

The notes are correct on my

BOOXL and old 400. I don't know if all Atari's are the same, if not a slight adjustment to the data line should correct things.

Keep up the good work, — Bruce Burke, Canterbury, Kent.

```
10 REM Guitar Tuning Aid
20 REM by Bruce Burke
30 GRAPHICS 0
40 OPEN #1,4,0,"K"
50 PRINT :PRINT "      GUITAR TUNING A
10"
70 PRINT :PRINT "Press any key for E,A
,G,D,F,C"
80 FOR C=1 TO 6
90 READ G
100 GET #1,BUNNY
110 SOUND 2,0,10,0
120 PRINT :PRINT "String No "G;"
130 NEXT G
140 GET #1,BUNNY
150 CLOSE #1
160 GUN
170 DATA 47,63,80,107,143,191
```


Faulty Frogger?

WHEN I received the June edition of Atari User and saw the listing for the game Frog Jump I typed it in.

After I had done so, I tried it and found that it kept putting "Error 5 on line 340" so I checked line 340 and found it was all right.

Then I looked at all the other lines and they also were perfectly all right.

I wondered if there was something wrong with the listing. If so could you tell me where it is wrong. — Christopher Weatherly, Ulverston, Cumbria.

● There were no errors in the listing so you must have made a typing mistake somewhere. Error 5 is a string length error, so make sure that you've entered the strings exactly as listed.

For example, since line 340 is mentioned, have you typed in line 130 exactly as listed? L2\$ should contain only 20 characters.

I ENJOY your magazine a lot. I have just finished 'Frog Jump' in your June edition of Atari User. I typed in Run and pressed Return and it came up "Error 13 at 1200". I tried to solve this error, but did not succeed. I would like you to put me right. — Sarah Shephard, Ambergetts, Derbyshire.

● Error 13 means that the computer has encountered a NEXT statement in the program but hasn't previously seen a corresponding FOR statement. You should check that line 1170 in your program is exactly as we printed it. Make sure you've got FOR Q=0 TO 2048 here and that line 1200 has NEXT Q. With letters like Q it's easy to read them as a letter O.

Left out on cassette

I OWN an Atari 800XL and have noticed that one of my favourite games, Zeaxxon, is available on 16k cassette and 32k disc.

I have a 740C cassette deck



and am therefore forced to get the 16k version, so why is the superior 32k version only on disc?

Also, Ghostbusters is here. Great, but is it available on cassette? No chance, just disc again!

Why are certain games only available on disc rather than cassette? After all, the disc drive would be put to better use in a business rather than games playing. — Nigel Ward, Stockton-on-Tees, Cleveland.

● The game is the same size whether it's on tape or disc. However, the disc version also

needs to contain some version of DOS — see André Willey's article in this issue. Hence, if the game needs say, 15k, a disc version will need 15k plus DOS.

This might only be 20k in total, but the next size machine from a 16k one is usually 32k.

There are several reasons why a manufacturer might release a disc-only game. A tape version might take too long to load, discs are more reliable, tapes are too easy to copy.

We don't know why Ghostbusters is disc-only, but we suspect it's some combination of these reasons.

Memory boost

IS the memory on my Atari 600XL always going to be the same old 16k or is someone

going to print a name and address of a shop that sells RAM packs. — G. Thornton, Normanton, West Yorks.

● We'll print an address — the rest is up to you. Try Selco Shop, 1-4 The Mews, Hetherley Road, Sidcup, Kent. Tel: 01-309 1111.

A change in time

I WOULD just like to thank you for bringing out a British magazine for the Atari and wish you every success in the future.

May I suggest that in the program Reaction Timer in your first issue line 140 be changed to read 140 TIMER = (PEEK18)*65536 + (PEEK19)*256 + (PEEK20)/50.

I think you will find this gives a more accurate time. — J. French, Garforth, Leeds.

Enter the Dropzone megastars

AFTER reading the second issue of your magazine I noticed that one of your readers scored over 87,000 on the US Gold game Dropzone, so I thought you may be interested in my score on the game, which is 1,039,980.

On the high score screen is the caption "Mission completed, you are a megastar". Could you tell me if I am the first person to achieve this score?

On the subject of programming, I have included a small subroutine that may be of some interest to your readers. It plays the theme music from the film 'Close Encounters' and could be used as part of a space game.

Lastly, I hope you continue to improve your excellent magazine with more programming tips and routines on all Atari-related subjects for many years to come. — Cameron McDade, Wakefield, West Yorks.

● Actually, Stephen Edwards (see next letter) beat your score and wrote to us first, but you still deserve Megastar status.

Thanks for the theme music. We thought the last note sounded a bit off, but we'll leave our readers to make up their own minds about it.

AFTER buying your first two copies I was very impressed at

such an informative magazine.

While reading the letters section, I read that D. Gretton from Leicester had written in and said that he had scored 89,910 on Dropzone.

I nearly laughed till I cried. My highest score to date is 1,375,550 even though you may not believe me.

It took 1½ hours to achieve and I became a megastar and the message said that my mission was completed.

If you would like a photo for evidence I would be happy to provide one. — Stephen Edwards, Stevenage, Herts.

● We believe you — even without the photographic evidence!

99 GEM CLOSE ENCOUNTERS MUSIC

100 READ 0,0

110 IF 0=0 THEN SOUND 0,0,0,0:GOTO 1,

0,0,0:GOTO 2,0,0,0:GOTO 3,0,0,0:GOTO

230

120 SOUND 0,0,10,0

130 FOR 0=0 TO 15:GOTO 0

140 SOUND 1,0,1,10,0

150 FOR 0=0 TO 15:GOTO 0

160 SOUND 2,0,2,10,0

170 FOR 0=0 TO 15:GOTO 0

180 SOUND 3,0,2,10,0

190 FOR 0=0 TO 0:GOTO 0

200 GOTO 100

210 GOTO 77,155,04,155,01,170,162,210,

121,200

220 GOTO 0,0

230 GEM BEST OF PROGRAM HERE

FREE T-shirt for all new



Here's a really unbeatable offer for all Atari users!

This top-quality T-shirt, woven in an attractive shade of grey with the Atari logo in red, is a genuine American 'Fruit of the Loom' product, made from 50% cotton/50% polyester.

Worth £4.25, it will be sent FREE with every new subscription ordered on the form on the right!

The T-shirts are also on sale at £4.25. Please order on our official order form.

Made in three sizes:	
Small	- 34"-36"
Medium	- 36"-38"
Large	- 38"-40"

Keying in long programs too much of a chore?



Then give your fingers a rest by sending for our monthly disc, containing all the programs from each issue of Atari User. See order form opposite.

JULY: Bomb Run: Flatten the deserted city and land safely. **Disassembler:** Find out what's going on deep inside your Atari. **Treasure Hunt:** Use logical thinking to find the treasure. **Password Generator:** Keep generating passwords till you find one you like. **Keyboard:** Convert your macra into an organ. **Quasimodo:** Can you sort out the mess of ropes in the belly?

JUNE: Frog Jump: Guide the frog across the road and into his home in this version of the arcade classic. **1300XE Ram Power:** Use the extra 16K of memory to good effect, or use the drawing routines to produce some pretty displays. **Submarine:** Scuttle the submarines and practice little coordinate geometry at the same time.

Etch-a-Sketch: Draw pretty pictures with only a joystick. **Random Numbers:** Get random numbers from machine code. **Fifty Fifteen:** Can you keep the Fifty Fifteen happy in their cells?

MAY: Alphabet Train: The combination of colour, sound and animation makes this early learning game a winner with the children. **Sounds Interesting:** Drive your neighbours potty with these soundbyte sounds. **Heaven Entry:** display and run machine code programs with this hexadecimal loader. **Attack Squawk:** A fast action game to keep you on your toes. **Reaction Timer:** See how fast your reactions really are. **Binary:** Use this program to convert binary numbers to binary notation.



Double the capacity of your discs with this money-saving offer!

DISK DOUBLER

Allows you to cut out a correctly positioned notch which will enable you to use BOTH sides of the disc - and HALVE your costs. Extremely well made to a compact design, it has a unique position guide to ensure pinpoint accuracy!

only
£9.95

subscribers to

ATARI USER

Back issues



£1.25

May issue: Profile of Jack Tramiel, preview of the new machines, Attack Squash, Adventuring, Alphabet Train, Hexer utility, Software reviews, Sounds, the 6802, Microscope, Atari Insights - regular series of tutorials, Be Wise, Beginners and Graphics, PLUS News and Mailbag.

June issue: In-depth analysis of the 130XE, Submarine, Adventuring, Random numbers, Software reviews, Frog Jump, Microscope, Sounds, Atari Insights - regular series of tutorials, Be Wise, Beginners and Graphics, special 12 page feature on Communications, PLUS News and Mailbag.

Protect your 130XE with our heavy dust cover made of soft, pliable, clear and water resistant vinyl, bound with strong cotton and decorated with the magazine's logo



Only £3.95

**How to keep your
collection complete**

Bound in chocolate brown put and featuring the Atari User logo, this handsome binder will hold a year's supply of the magazine lovingly secured in place with metal rods.



Only £3.95 (UK)

Look what's coming in Atari User!

- ★ Lots of easy-to-follow features on everything to do with Atari computing. Whether you're a beginner or an expert, you'll always find something to delight and intrigue you.
- ★ In-depth independent evaluations of all the new hardware add-ons now being developed to make your Atari much more powerful and much more versatile.
- ★ Reviews of all the very latest games, educational and business programs now being produced for the Atari.
- ★ PLUS lots of listings you will be able to key in yourself - games, utilities, graphics.

ORDER FORM

All prices include postage, packing and VAT and are valid to July 31
Please enter your requirements by ticking boxes

Annual subscription

UK £10	2001
IRE £13 (IR £16)	2002
Overseas (Surface) £20	2003
Overseas (Airmail) £40	2004



Commence with: _____ Issue: _____ TOTAL: _____

Back issues

£1.25 UK
£1.50 Overseas

May 1985	2005
June 1985	2006

TOTAL: _____

Monthly Disc

£5.95 (UK & Overseas)

May issue	2007
June issue	2008
July issue	2009

TOTAL: _____

Miracle Modem

£195

Including software and Atari interface 2013

TOTAL: _____

T-Shirt

£1.25

Small	2017
Medium	2018
Large	2019

TOTAL: _____

Dust Cover

£3.95 (UK & Overseas)

(130XE only) 2021

TOTAL: _____

Binder

£3.95 UK
£3.00 Overseas

2022

TOTAL: _____

Disk Doubler

£9.95

2023

TOTAL: _____

Payment: please indicate method (✓) TOTAL: _____

☐ Access/Mastercard/Visacard

☐ Barclaycard/Visa

☐ Cheque/PO made payable to Database Publications Ltd.

Name: _____

Address: _____

Signed: _____

Send to: Atari User, FREEPOST, Europa House,
68 Chester Road, Hazel Grove, Stockport SK7 5NY.

(No stamp needed if posted in UK) Please allow 28 days for delivery

YOU CAN ALSO
ORDER BY PHONE:

061-450-0171
(24 hours)

Don't forget to quote
credit card number
and full address.

A CHALLENGING 3D ACTION/STRATEGY PROGRAM FOR YOUR CBM 64

REALM OF IMPOSSIBILITY

NOW
AVAILABLE FOR
SPECTRUM 48K
AMSTRAD CPC464
ATARI 600/800XL
130XE
INCLUDING FREE
ENAMEL METAL BADGE
OFFER

OUT NOW ON CASSETTE AND DISK

FEATURES

- ▶ Dramatic 3D Graphics & Fast Action
- ▶ Unique 2-Player Co-operative Mode
- ▶ 4 Levels of Difficulty
- ▶ 13 Different Dungeons
- ▶ 129 Different Rooms
- ▶ Joystick Control

REALM OF IMPOSSIBILITY



OBJECTIVE

The evil cleric, Wistrik, has stolen the 7 crowns of the middle Kingdoms - He has hidden them all among his 13 Dungeon strongholds - **YOUR TASK** - enter the dungeons, find the crowns, and get out alive!

Watch out for the zombies, snakes, spiders & orcs - get hit too many times and you're dead.

Protect yourself with magic crosses and spells. **x x x x**

INCLUDES
Special Discount
+
Prize Draw
Voucher



Grab us hot pursuit at the Mines of Minas



Trapped in the Pit of a Phoenix

AVAILABLE FROM ALL GOOD SOFTWARE RETAILERS If it's not there, please order it - or in case of difficulty send your crossed cheque/PO, made to **Ariolasoft U.K. Ltd.** including your own name and address, to: Ariolasoft U.K. Ltd., Suite 305/106, Asphalte House, Police Street, London SW1E 5HS.

REALM OF IMPOSSIBILITY Commodore or Atari Cassette £9.95 ▶ Disk £12.95

▶ Spectrum or Amstrad CPC464 £9.95 ▶ Atari 600/800XL 130XE £12.95

ariolasoft
HIGH PERFORMANCE PROGRAM



in cooperation with

RETROMAGS



Our goal is to preserve classic video game magazines from years gone by, before they are lost forever.



Thanks goes out to everyone who makes this possible. Starting with the original writers and editors, to all the people involved in acquiring and digitizing these magazines.



People interested in helping us out, in whichever way possible. Either by donating magazines, scanning, editing or helping in the distribution, visit us as www.retromags.com or visit www.zzap64.co.uk



We are only interested in preserving magazines which are at least 10 years out of print.



We have no desire, nor intent to profit from these scans in any way.



So please, if you come across people trying to sell these releases,



DO NOT SUPPORT THEM!

THANK YOU!

